

TR93BL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

Electric

Gas

Thermo-ventilated

Thermo-ventilated

Vapor Clean

8017709182458

В



Aesthetics



Aesthetics

Colour Design

Door

Upstand

Type of pan stands

Hob colour Command panel finish

Control knobs

Victoria

Black Victoria

With frame

Yes

Cast Iron Black enamel

Enamelled metal Smeg Victoria

Controls colour Stainless steel Display

Colour of buttons

No. of controls Serigraphy colour

Handle

Handle Colour

Glass type **Plinth**

Logo position

Logo

5

electronic 5 buttons

Black 10 Silver

Smeg Victoria

Brushed stainless steel

Black Anthracite

assembled 50's

Upstand+ Command panel

Programs / Functions

No. of cooking functions Traditional cooking functions

Static

Fan assisted



Circulaire

ECO

Fan assisted base

Cleaning functions



Vapor Clean



Other functions



Defrost by time

Programs / Functions Auxiliary Oven

Cooking functions cavity 2

Traditional cooking functions, cavity 2



Circulaire

Programme / Functions Third Oven

No. of functions third oven

Oven light

Full grill



1



Hob technical features



Total no. of cook zones 6

Front left - Gas - 2UR (dual) - 4.20 kW

Rear left - Gas - AUX - 1.00 kW

Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Rapid - 2.90 kW

Type of gas burners

Standard

Automatic electronic ianition

Yes

Gas safety valves

Yes

Burner caps

Matt black enamelled

Main Oven Technical Features



















No. of lights Fan number

1







Net volume of the cavity 61 litres Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen

Light power 40 W

Cooking time setting Door opening

Start and Stop Side opening

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential** 316x460x412 mm

Usable cavity space dimensions (HxWxD)

Electro-mechanical

Temperature control Lower heating element

1200 W

Yes

power

Upper heating element - 1000 W

Power



Removable door Yes Grill elememt 1700 W Full glass inner door Yes Large grill - Power 2700 W Removable inner door Yes Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Full glass inner door

No. thermo-reflective

Removable inner door

Yes

Yes

2

1

Yes

Yes

Options Main Oven

Timer Minimum Temperature 50 °C Yes 260 °C End of cooking acoustic Yes Maximum temperature

alarm

cavity

Second Oven Technical Features

Net volume of the 62 litres

second cavity Removable inner door Gross volume, 2nd 69 I No. total door glasses

Cavity material Easy clean enamel

door glasses Shelf positions Safety Thermostat

Type of shelves Metal racks Cooling system **Tangential**

No. of lights 1 Usable cavity space

605x275x370 mm dimensions (HxWxD) Light type Halogen

Electro-mechanical 40 W Light power Temperature control

Circular heating element 2500 W Door opening Side opening - Power

Removable door Yes

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245 °C

Third Oven Technical Features

Net volume, 3rd cavity Gross volume, 3rd 41 I No. total door glasses 3 cavity No. of thermo-reflective

Cavity material Easy clean enamel door glasses

36 I

Shelf positions Safety Thermostat Yes

Type of shelves Metal racks Cooling system **Tangential**

No. of lights 1 Usable cavity space 169x440x443 mm

dimensions (HxWxD) Light type Halogen Temperature control Electro-mechanical Light power 40 W

Large grill - Power 2700 W Door opening Flap down Grill type Electric Removable door Yes

27/07/2024 **SMEG SPA**



Full glass inner door

Yes

50 °C

Tilting grill

Yes

Options Third Oven

Minimum Temperature

Maximum temperature 260°C

Accessories included for Main Oven & Hob



Cast iron wok support Moka stand in cast iron Rack with back and side 2

stop

40mm deep tray

Grill mesh Telescopic Guide rails,

partial Extraction

Accessories included for Secondary Oven



stop

Chrome shelf with back 3

Plate rack/warmer

1

1

Accessories included for Third Oven

Rack with back and side 1

stop

40mm deep tray

Electrical Connection

Max Power Draw

Current

Voltage Voltage 2 (V) 8300 W

36 A 220-240 V

380-415 V

Type of electric cable

installed

Type of electric cable


Yes, Double and Three Phase

50/60 Hz

Yes, Single phase

Frequency Terminal block 5 poles







Not included accessories



TPKTR9

Teppanyaki grill plate for Victoria TR9 and Symphony cookers



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



BGTR9

Cast iron grill plate suitable for 90 cm and 100cm Victoria, 60 and 90cm Master and Symphony cookers



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



BN620-1

Enamelled tray, 20mm deep



KITH93

Height extension kit (950 mm), suitable for TR93 cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Double glazed doors: Number of glazed doors.



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Light



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.





Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.

62 lt

The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning



Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)