

# TR93IBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

90x60 cm

2

**ELECTRICITY** 

Induction

Thermoseal

Thermoseal

Vapour Clean

8017709196790

В



# **Aesthetics**

**Aesthetic** Victoria Controls colour Stainless steel

Victoria Design Colour Black

Command panel finish **Enamelled** metal Logo assembled 50's

Logo position Upstand+ Command panel

Upstand Yes

Hob colour Black enamel

**Control knobs** Smeg Victoria

No. of controls Serigraphy colour Silver

Display electronic 5 buttons

Door With frame Glass type Black

Handle Smeg Victoria

**Handle Colour** Brushed stainless steel

Plinth Anthracite

# **Programs / Functions**

No. of cooking functions Traditional cooking functions

Static

Circulaire

Turbo

ECO

Small grill

Large grill

Fan grill (large)

Fan assisted bottom

8

Other functions



Defrost by time



#### Cleaning functions



# **Programs / Functions Auxiliary Oven**

Cooking functions cavity 2 Traditional cooking functions, cavity 2 1



Circulaire

# **Programs / Functions Third Oven**

No. of functions third oven Oven light

Full grill



# Hob technical features



## Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Induction - single

Automatic switch off Yes Minimum pan diameter

when overheat indication

Yes Selected zone indicator Yes Automatic pan

detection

# Main Oven Technical Features

















No. of lights Fan number Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power** 

Cooking time setting Start and Stop Removable inner door Yes Total no. of door glasses 3

No.of thermo-reflective door glasses

Safety Thermostat

Usable cavity space

316x460x412 mm

Yes

dimensions (HxWxD)

Temperature control

Electro-mechanical

Lower heating element 1200 W

power



Door opening Side opening Upper heating element - 1000 W

Power Removable door Yes

Grill elememt 1700 W Full glass inner door Yes Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

# **Options Main Oven**

Timer Minimum Temperature 50 °C Yes 260 °C End of cooking acoustic Maximum temperature Yes

alarm

# Second Oven Technical Features

Net volume of the 62 I second cavity

Gross volume, 2nd 69 I

cavity

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks

No. of lights

Light type Halogen

40 W **Light Power** 

Door opening Side opening

Removable door Yes

- Power Grill type Electric

Full glass inner door

Removable inner door

No. total door glasses

No. thermo-reflective

Safety Thermostat

Usable cavity space

dimensions (HxWxD)

Temperature control

Circular heating element 2500 W

door glasses

Cooling system

Yes

Yes

Yes

Yes

**Tangential** 

605x275x370 mm

Electro-mechanical

2

1

# **Options Auxiliary Oven**

Minimum Temperature 50°C Maximum temperature 245 °C

## Third Oven Technical Features

Net volume, 3rd cavity 36 I Removable inner door Yes Gross volume, 3rd 41 I No. total door glasses 3 cavity No. of thermo-reflective 1

Cavity material

Ever Clean enamel door glasses

No. of shelves Safety Thermostat

Type of shelves Metal racks Cooling system **Tangential** 

No. of lights Usable cavity space 169x440x443 mm

Light type Halogen dimensions (HxWxD) **Light Power** 40 W Temperature control Electro-mechanical



Door opening Removable door Full glass inner door Flap down Yes Yes Large grill - Power Grill type Tilting grill 2700 W Electric Yes

**Options Third Oven** 

Minimum Temperature 50 °C

Maximum temperature 260 °C

Accessories included for Main Oven & Hob

Rack with back and side 2 stop

40mm deep tray

Grill mesh

Telescopic Guide rails, partial Extraction

Accessories included for Secondary Oven

Oven grid with back stop

4

Plate rack/warmer

1

1

Accessories included for Third Oven

Rack with back and side 1

stop

40mm deep tray

1

**Electrical Connection** 

**Electrical connection** 

rating

Current Voltage Voltage 2 (V) 19400 W


52 A 220-240 V 380-415 V Power supply cable

length Frequen

Frequency Terminal block 150 cm

50/60 Hz 5 poles







# Not included accessories

#### **AIRFRY**

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

**PRTX** 

#### **GTP**

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

#### BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



#### **GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



#### KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



#### BN620-1

Enamelled tray, 20mm deep



#### **SCRP**

Induction and ceramic hobs and teppanyaki scraper



### KITH93

Height extension kit (950 mm), suitable for TR93 cookers

#### **BBQ**

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



#### **STONE**

Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



#### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



#### **PALPZ**

Pizza shovel with fold away handle width: 315mm length: 325mm






#### GTT



\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished







## **SMOLD**



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



# Symbols glossary (TT)

A 🕏	A: Product drying performance, measured from A+++ to D / G depending on the product family	В	B: Product energy rating, measured from A+++ to D / G depending on the product family.
δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Installation in column: Installation in column
<b>!!!</b>	Air cooling system: to ensure a safe surface temperatures.	***	Defrost by time: with this function the time of thawing of foods are determined automatically.
$\mathbb{Z}^2$	Double glazed doors: Number of glazed doors.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	<b>®</b>	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	··	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	•••	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
*	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The ten two levels	Ċ	Light

SMEG SPA 15/12/2024

without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is

ideal for small quantities of food.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



# Benefit (TT)

#### True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

#### Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

#### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

## Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### **Buttons control**

Easy and intuitive timer setting with a simple buttons

### Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### Removalble inner glass

Internal door glasses are easily removable for complete cleaning

### Multilevel cooking

Several cooking levels allow maximum flexibility of use



#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

# AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

# BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

## Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)