

TR93IBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Induction

Thermoseal

Thermoseal

Vapour Clean

8017709196790

В



Aesthetics

Aesthetic Victoria Controls colour Stainless steel

Victoria Design Colour Black

Command panel finish **Enamelled metal** assembled 50's

Logo Logo position Upstand+ Command panel

Upstand

Hob colour Control knobs Smeg Victoria

Yes

Black enamel

No. of controls

Serigraphy colour

Display electronic 5 buttons Door With frame

Glass type Black

Handle Smeg Victoria

Handle Colour Brushed stainless steel

Silver

Plinth Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions

Static

Circulaire



Turbo

ECO

Small grill



Large grill

Other functions

Defrost by time


Fan grill (large)

SMEG SPA 25/07/2025

8



Cleaning functions



Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Circulaire

Programs / Functions Third Oven

No. of functions third oven Oven light

Full grill



1



Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Induction - single

Automatic switch off Yes Minimum pan diameter Yes when overheat indication

Yes Selected zone indicator Yes Automatic pan

detection

Main Oven Technical Features





















No. of lights Fan number Net volume of the cavity 61 l Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop Removable inner door Total no. of door glasses 3

door glasses

Safety Thermostat

No.of thermo-reflective

Usable cavity space

316x460x412 mm

Yes

Yes

dimensions (HxWxD)

Temperature control Lower heating element Electro-mechanical

1200 W

power



Door opening Side opening Upper heating element - 1000 W

Power Removable door Yes

Grill elememt 1700 W Full glass inner door Yes Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Full glass inner door

No. thermo-reflective

Safety Thermostat

Usable cavity space

dimensions (HxWxD)

Temperature control

Cooling system

Yes

Yes

Yes

Tangential

605x275x370 mm

Electro-mechanical

2

1

Options Main Oven

Timer Minimum Temperature 50 °C Yes 260 °C End of cooking acoustic Maximum temperature Yes

alarm

Second Oven Technical Features

Net volume of the 62 I second cavity

Removable inner door Gross volume, 2nd 69 I No. total door glasses

cavity

Light type

Cavity material Ever Clean enamel door glasses

No. of shelves

Type of shelves Metal racks

No. of lights

Light type Halogen 40 W **Light Power**

Door opening

Circular heating element 2500 W Side opening

- Power Removable door Yes

Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245 °C

Third Oven Technical Features

Net volume, 3rd cavity 36 I Removable inner door Yes Gross volume, 3rd 41 I No. total door glasses 3 cavity No. of thermo-reflective 1

Ever Clean enamel Cavity material

Halogen

No. of shelves Safety Thermostat Yes

Type of shelves Metal racks Cooling system **Tangential**

No. of lights Usable cavity space 169x440x443 mm

dimensions (HxWxD) **Light Power** 40 W Temperature control Electro-mechanical

SMEG SPA 25/07/2025

door glasses



Door opening Removable door Full glass inner door Flap down Yes Yes

Large grill - Power Grill type Tilting grill

2700 W Electric Yes

Options Third Oven

Minimum Temperature 50 °C

260 °C Maximum temperature

Accessories included for Main Oven & Hob

Rack with back and side 2 stop

40mm deep tray

Grill mesh

Telescopic Guide rails. partial Extraction

Accessories included for Secondary Oven

Oven grid with back stop

4

Plate rack/warmer

1

1

Accessories included for Third Oven

Rack with back and side 1

stop

40mm deep tray

Electrical Connection

Electrical connection

rating

Current Voltage Voltage 2 (V) 19400 W


52 A 220-240 V 380-415 V Power supply cable

length

Frequency Terminal block 150 cm

50/60 Hz 5 poles







Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



Splashback, 90x75 cm suitable for TR9 Victoria cookers, black

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



Child lock

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH93

Height extension kit (950 mm), suitable for TR93 cookers

-

SCRP

Induction and ceramic hobs and teppanyaki scraper

SMOLD


Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C







STONE



Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

<u> </u>			
B	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	A D	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column		Air cooling system: to ensure a safe surface temperatures.
В	B: Product energy rating, measured from A+++ to D / G depending on the product family.	**	Defrost by time: with this function the time of thawing of foods are determined automatically.
2 2	Double glazed doors: Number of glazed doors.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.		Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the

Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.

SMEG SPA 25/07/2025

Light

element, so is ideal for smaller quantities.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill



Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat