

TR93IGR

Cooker size

N. of cavities with energy label

Cavity heat source Electric
Hob type Induction

Type of main ovenThermo-ventilatedType of second ovenThermo-ventilated

Cleaning system main oven Vapor Clean 8017709294250

Energy efficiency class
Energy efficiency class, second cavity

801 A B

90x60 cm

2



Aesthetics

Aesthetics Victoria Controls colour Stainless steel

DesignVictoriaNo. of controls9ColourSlate GreySerigraphy colourSilverCommand panel finishEnamelled metalDisplayelectronic 5 buttons

Logo assembled 50's Door With frame

Logo position Upstand+ Command panel Glass type Black

UpstandYesHandleSmeg VictoriaHob colourBlack enamelHandle ColourBrushed stainless steel

Control knobs Smeg Victoria Plinth Anthracite

Programs / Functions

Traditional cooking functions

Fan grill (large)

No. of cooking functions

Static Circulaire Turbo (circulaire + bottom + upper +

fan)

8

ECO ECO Small grill Large grill

ECO ECO Small grill Large grill

SMEG SPA 04/12/2024

Fan assisted base



Other functions



Defrost by time

Cleaning functions



Vapor Clean

Programs / Functions Auxiliary Oven

Cooking functions cavity 2

1

Traditional cooking functions, cavity 2



Circulaire

Programme / Functions Third Oven

No. of functions third oven

Oven light

Full grill

1



Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Automatic switch off Yes

when overheat

Minimum pan diameter Yes

indication

Automatic pan Yes Selected zone indicator Yes

detection

Main Oven Technical Features















No. of lights 1
Fan number 1
Net volume of the cavity 61 litres
Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions 4

Type of shelves Metal racks Light type Halogen Removable inner door Yes
Total no. of door glasses 3
No.of thermo-reflective 1

door glasses

Safety Thermostat

Usable cavity space dimensions (HxWxD)

316x460x412 mm

Yes

Temperature control Electro-mechanical



Light power

40 W

Cooking time setting

Start and Stop

Door opening Removable door Side opening

Full glass inner door

Yes Yes

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Options Main Oven

Timer

Yes

End of cooking acoustic alarm

Yes

Minimum Temperature Maximum temperature 50 °C

1200 W

260 °C

Second Oven Technical Features



















Net volume of the

second cavity

Gross volume, 2nd

cavity

Cavity material

Shelf positions

Type of shelves

No. of lights

Light type

Light power

Door opening Removable door

62 litres

69 I

Easy clean enamel

Metal racks

1

Halogen 40 W

Side opening

Yes

1

605x275x370 mm

Full glass inner door Yes Removable inner door Yes No. total door glasses 2

No. thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Circular heating element 2500 W

- Power

Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245°C

Third Oven Technical Features













41 I



Easy clean enamel



Net volume, 3rd cavity Gross volume, 3rd

cavity

Cavity material

Shelf positions

Type of shelves Metal racks No. of lights 1

36 I

Removable inner door No. total door glasses No. of thermo-reflective

door glasses Safety Thermostat

Yes

Yes

Tangential

3

Cooling system



Light type Light power

Door opening

Removable door Full glass inner door Halogen 40 W

Flap down

Yes Yes

Usable cavity space dimensions (HxWxD)

Temperature control Large grill - Power

Grill type Tilting grill 169x440x443 mm

Electro-mechanical

2700 W Electric Yes

Options Third Oven

Minimum Temperature

50 °C

Maximum temperature

260 °C

Accessories included for Main Oven & Hob

Rack with back and side 2

40mm deep tray

Grill mesh

Telescopic Guide rails, partial Extraction

Accessories included for Secondary Oven

1



Chrome shelf with back 4

stop

Plate rack/warmer

1

1

Accessories included for Third Oven

Rack with back and side 1

stop

40mm deep tray

1

Electrical Connection

Max Power Draw

Current Voltage Voltage 2 (V) 19400 W


52 A 220-240 V 380-415 V Power supply cable

length

Frequency Terminal block 150 cm

50/60 Hz 5 poles







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

PRTX

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



BN620-1

Enamelled tray, 20mm deep



SCRP

Induction and ceramic hobs and teppanyaki scraper



KITH93

Height extension kit (950 mm), suitable for TR93 cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm






GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished







SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	A F	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column	!!!	Air cooling system: to ensure a safe surface temperatures.
***	Defrost by time: with this function the time of thawing of foods are determined automatically.	2 2	Double glazed doors: Number of glazed doors.
3	Triple glazed doors: Number of glazed doors.	В	B: Product energy rating, measured from A+++ to D / G depending on the product family.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	•••	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
R	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method	ÿ	Light

SMEG SPA 04/12/2024

heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is

ideal for small quantities of food.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)