

# TR93IGR2

|  |                   |
|--|-------------------|
| Cooker size                            | 90x60 cm          |
| N. of cavities with energy label       | 2                 |
| Cavity heat source                     | ELECTRICITY       |
| Hob type                               | Induction         |
| Type of main oven                      | Thermo-ventilated |
| Type of second oven                    | Thermo-ventilated |
| Cleaning system main oven              | Vapor Clean       |
| EAN code                               | 8017709312398     |
| Energy efficiency class                | A                 |
| Energy efficiency class, second cavity | B                 |



## Aesthetics

|  |                         |                        |                       |                         |
|--|-------------------------|------------------------|-----------------------|-------------------------|
|  | Design                  | Victoria               | Type of control knobs | Smeg Victoria           |
|  | Command panel finish    | Enamelled metal        | Controls colour       | Stainless steel         |
|  | Aesthetic               | Victoria               | No. of controls       | 9                       |
|  | Logo                    | assembled 50's         | Serigraphy colour     | Black                   |
|  | Colour                  | Slate Grey             | Display name          | Electronic 5 buttons    |
|  | Logo position           | Upstand+ Command panel | Door                  | With frame              |
|  | Finishing               | Glossy                 | Glass type            | Black                   |
|  | Upstand                 | Yes                    | Handle                | Smeg Victoria           |
|  | Hob colour              | Black enamel           | Handle Colour         | Brushed stainless steel |
|  | Type of control setting | Control knobs          | Plinth                | Anthracite              |
|  | hob                     |                        |                       |                         |

## Programs / Functions main oven

|                               |   |
|-------------------------------|---|
| No. of cooking functions      | 5 |
| Traditional cooking functions |   |

 Static  Fan assisted  Circulaire

 Eco  Fan assisted base

### Other functions

 Defrost by time

## Cleaning functions



## Programs / Functions auxiliary oven

Cooking functions cavity 2 1

Traditional cooking functions, cavity 2



## Programs / Functions third oven

No. of functions third oven 1

Oven light

1



Full grill



## Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.40 kW - - Ø 18.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 27.0 cm

Rear right - Induction - single - 1.40 kW - - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Automatic switch off when overheated Yes

Minimum pan diameter indication Yes

Automatic pan detection Yes

Selected zone indicator Yes

## Main Oven Technical Features



No. of lights 1

Removable inner door Yes

Fan number 1

Total no. of door glasses 3

Net volume of the cavity 61 l

No. of thermo-reflective door glasses 1

Gross volume, 1st cavity 70 l

Safety Thermostat Yes

Cavity material Ever Clean enamel

Usable cavity space dimensions (HxWxD) 316x460x412 mm

No. of shelves 4

Temperature control Electro-mechanical

Type of shelves Metal racks

Lower heating element power 1200 W

Light type Halogen

Upper heating element - Power 1000 W

Light Power 40 W

Power

Cooking time setting Start and Stop

Door opening Side opening

---

|                       |     |                          |          |
|-----------------------|-----|--------------------------|----------|
| Removable door        | Yes | Grill elememt            | 1700 W   |
| Full glass inner door | Yes | Large grill - Power      | 2700 W   |
|                       |     | Circular heating element | 2000 W   |
|                       |     | - Power                  |          |
|                       |     | Grill type               | Electric |
|                       |     | Tilting grill            | Yes      |

## Options Main Oven

|                               |     |                     |        |
|-------------------------------|-----|---------------------|--------|
| Timer                         | Yes | Minimum Temperature | 50 °C  |
| End of cooking acoustic alarm | Yes | Maximum temperature | 245 °C |

## Second Oven Technical Features



|                                 |                   |  |                    |
|---------------------------------|-------------------|--|--------------------|
| Fan number                      | 1                 | Removable door                         | Yes                |
| Net volume of the second cavity | 62 l              | Full glass inner door                  | Yes                |
| Gross volume, 2nd cavity        | 69 l              | Removable inner door                   | Yes                |
| Cavity material                 | Ever Clean enamel | No. total door glasses                 | 1                  |
| No. of shelves                  | 9                 | No. thermo-reflective door glasses     | 1                  |
| Type of shelves                 | Metal racks       | Safety Thermostat                      | Yes                |
| No. of lights                   | 1                 | Cooling system                         | Tangential         |
| Light type                      | Halogen           | Usable cavity space dimensions (HxWxD) | 605x275x370 mm     |
| Light Power                     | 40 W              | Temperature control                    | Electro-mechanical |
| Door opening                    | Side opening      | Circular heating element               | 2500 W             |
|                                 |                   | - Power                                |                    |

## Options Auxiliary Oven

|                     |       |                     |        |
|---------------------|-------|---------------------|--------|
| Minimum Temperature | 50 °C | Maximum temperature | 245 °C |
|---------------------|-------|---------------------|--------|

## Third Oven Technical Features



|                          |                   |  |                    |
|--------------------------|-------------------|--|--------------------|
| Net volume, 3rd cavity   | 36 l              | Removable inner door                   | Yes                |
| Gross volume, 3rd cavity | 41 l              | No. total door glasses                 | 3                  |
| Cavity material          | Ever Clean enamel | No. of thermo-reflective door glasses  | 1                  |
| No. of shelves           | 2                 | Safety Thermostat                      | Yes                |
| Type of shelves          | Metal racks       | Cooling system                         | Tangential         |
| No. of lights            | 1                 | Usable cavity space dimensions (HxWxD) | 169x440x443 mm     |
| Light type               | Halogen           | Temperature control                    | Electro-mechanical |
| Light Power              | 40 W              | Large grill - Power                    | 2700 W             |
| Door opening             | Flap down         | Grill type                             | Electric           |
| Removable door           | Yes               |  |                    |

---

|                       |     |               |     |
|-----------------------|-----|---------------|-----|
| Full glass inner door | Yes | Tilting grill | Yes |
|-----------------------|-----|---------------|-----|

## Options Third Oven

---

|                     |       |                     |        |
|---------------------|-------|---------------------|--------|
| Minimum Temperature | 50 °C | Maximum temperature | 260 °C |
|---------------------|-------|---------------------|--------|

## Accessories included for Main Oven & Hob

---



|                              |   |  |   |
|------------------------------|---|--|---|
| Rack with back and side stop | 1 | Grill mesh                                 | 1 |
| 40mm deep tray               | 1 | Telescopic Guide rails, partial Extraction | 1 |

## Accessories included for Secondary Oven

---



|                          |   |                   |   |
|--------------------------|---|-------------------|---|
| Oven grid with back stop | 3 | Plate rack/warmer | 1 |
|--------------------------|---|-------------------|---|

## Accessories included for Third Oven


---

|                              |   |                |   |
|------------------------------|---|----------------|---|
| Rack with back and side stop | 1 | 40mm deep tray | 1 |
|------------------------------|---|----------------|---|

## Electrical Connection

---

|                              |                         |                                  |                        |
|------------------------------|-------------------------|----------------------------------|------------------------|
| Electrical connection rating | 15000 W                 | Power supply cable length        | 150 cm                 |
| Current                      | 42 A                    | Additional connection modalities | Double and Three Phase |
| Voltage                      | 220-240 V               | Frequency                        | 50 Hz                  |
| Voltage 2 (V)                | 380-415 V               | Terminal block                   | 5 poles                |
| Electric cable               | Installed, Single phase |                                  |                        |



## Compatible Accessories

### BN620-1



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

### BNP608T



Teflon-coated tray, 8 mm depth, to be placed on the grid



### BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

### GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

### GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

### KIT1TR9N



Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers



### KIT600TR93

Cover strip for hob back side, suitable for TR93 Victoria cookers



### KITH93



Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)

### KITP65TR93

Depth extension kit (650 mm), nero, suitable for TR93 cookers



### PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



### SFLK1



Child lock

### SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



### STONE



Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

### TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

## Symbols glossary

|  |   |   |  |
|--|---|---|--|
|  A   | Energy efficiency class A   |  B   | B: Product energy rating, measured from A+++ to D / G depending on the product family.   |
|  C   | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.  |  C   | Installation in column: Installation in column.  |
|  D   | Air cooling system: to ensure a safe surface temperatures.  |  D   | Defrost by time: Manual defrost function. At the end of the set duration, the function stops.  |
|  E   | Triple glazed doors: Number of glazed doors.  |  E   | ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.  |
|  F   | Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking. |  F   | Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.  |
|  G | Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.  |  G | Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.  |
|  H | Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.  |  H | ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment. |
|  I | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.   |  I | Light  |
|  J | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.   |  J | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.   |

---

|  |  |  |   |
|--|--|--|---|
|    | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.   |   | The inner door glass: can be removed with a few quick movements for cleaning.   |
|    | Side lights: Two opposing side lights increase visibility inside the oven.   |   | Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated. |
|    | The oven cavity has 2 different cooking levels.  |   | The oven cavity has 4 different cooking levels.   |
|    | The oven cavity has 9 different cooking levels.  |   | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.                             |
|    | Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |   | Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.   |
|    | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.   |   | The capacity indicates the amount of usable space in the oven cavity in litres.   |
|   | The capacity indicates the amount of usable space in the oven cavity in litres.  |  | The capacity indicates the amount of usable space in the oven cavity in litres.   |
|  | Knobs control  |  |   |

---

## Benefit (TT)

---

### Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

### Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

### Buttons control

Easy and intuitive timer setting with a simple buttons

### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

### Removable inner glass

Internal door glasses are easily removable for complete cleaning

### Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



---

**BBQ (optional accessory)**

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

**Adjustable height**

Cooker top flushed with the working area thanks to adjustable feet

**Isothermic Cavity**

The best cooking performance at the highest energy efficiency

**Single turbine**

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat