

TRA4110P

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

110x60 cm

3

ELECTRICITY

Gas

Thermoseal Fan assisted Vapour Clean 8017709171612



Aesthetics





Aesthetic Victoria
Design Victoria
Colour Cream

Command panel finish Enamelled metal Logo assembled 50's

Logo position Upstand Upstand Yes

Hob colourBlack enamelType of pan standsCast IronType of control settingControl knobs

Control knobs Smeg Victoria

Controls colour Stainless steel

No. of controls 12 Serigraphy colour Black

Display electronic 5 buttons

Door With frame

Glass type Black
Handle Smeg Victoria

Handle Colour Brushed stainless steel

Storage compartment Drawer
Plinth Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions

C

Static

®

Fan assisted



Circulaire

ECO

Eco



Fan assisted bottom

5

Other functions



Defrost



Cleaning functions



Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Bottom element + fan

Bottom element + Upper element



Traditional cooking functions, cavity 2

Static

Fan assisted



Circulaire

Yes

Eco

Fan-assisted bottom

Defrost

Vapour Clean

Programs / Functions Third Oven

No. of functions third oven

Oven light

Full grill

Hob technical features



Total no. of cook zones 7

Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Semi Rapid - 1.60 (BBQ) kW

Front centre - Gas - Rapid - 2.90 kW

Rear centre - Gas - AUX - 1.40 - 0.80 kW

Rear left - Gas - Rapid - 2.90 kW

Front left - Gas - AUX - 1.00 kW

Left - Gas - 2UR (dual) - 4.20 kW

Type of gas burners Standard

Automatic electronic Yes Matt black enamelled **Burner** caps

ignition

Main Oven Technical Features



















Total no. of door glasses 3

Gas safety valves



Net volume of the cavity 63 l Gross volume, 1st cavity 68 l

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop Door opening Side opening

Removable door Yes Full glass inner door Yes Removable inner door Yes No.of thermo-reflective 1

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

316x444x425 mm

1200 W Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2700 W

- Power

Grill type Electric

Options Main Oven

Timer Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260°C

alarm

Second Oven Technical Features

63 I

Net volume of the

second cavity Gross volume, 2nd 68 I

cavity

Ever Clean enamel Cavity material

No. of shelves

Type of shelves Metal racks

No. of lights 1

Light type Halogen **Light Power** 40 W

Door opening Side opening

Removable door Yes Full glass inner door Yes Removable inner door Yes

No. total door glasses 3 No. thermo-reflective 1

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Electro-mechanical Temperature control

316x444x425 mm

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

1700 W Grill element - power Large grill - Power 2700 W Grill type Electric

Tilting grill Yes

Options Auxiliary Oven

Maximum temperature 260 °C Minimum Temperature 50°C

Third Oven Technical Features

22/11/2024 **SMEG SPA**















Net volume, 3rd cavity Gross volume, 3rd

cavity

36 I 41 I

Cavity material

No. of shelves

Type of shelves No. of lights

Light type

Light Power Door opening Removable door Full glass inner door

Ever Clean enamel

Metal racks

Incandescent 25 W

Flap down Yes

Yes

Removable inner door Yes 3 No. total door glasses No. of thermo-reflective

door glasses

Safety Thermostat Yes **Tangential**

Cooling system Usable cavity space 169x440x443 mm

dimensions (HxWxD)

Temperature control

Large grill - Power Grill type Tilting grill

Electro-mechanical

2700 W Electric Yes

Options Third Oven

Minimum Temperature

50 °C

Maximum temperature

260 °C

1

1

Accessories included for Main Oven & Hob



Cast iron wok support Teppanyaki Rack with back and side 2

stop

40mm deep tray Grill mesh

Telescopic Guide rails, partial Extraction

Accessories included for Secondary Oven



Rack with back and side 2

stop

40mm deep tray

Grill mesh

Telescopic Guide rails,

partial Extraction

Accessories included for Third Oven

1

Rack with back and side 1

stop

40mm deep tray

1

Electrical Connection

Plug

Electrical connection

rating

Current

Voltage Voltage 2 (V) (I) Australia

8700 W

38 A

220-240 V 380-415 V Type of electric cable

installed


Type of electric cable

Yes, Single phase

Yes, Double and Three Phase 50/60 Hz

Frequency Terminal block 5 poles







Not included accessories

KITH4110



Height extension kit (950 mm), suitable for TR4110 cookers

SFLK1



Child lock

PRTX



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

TPKTR



Teppanyaki grill plate for TR4110 cookers

BN620-1



Enamelled tray, 20mm deep

KIT600TR4110



Cover strip for hob back side, suitable for TR4110 Victoria cookers

BBQ




Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

AIRFRY



GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

BNP608T



Teflon-coated tray, 8mm depth, to be placed on the grid

KIT1TR41N



Splashback 110x75 cm suitable for TR4110 Victoria cookers, black

KITP65TR41



Depth extension kit (650 mm), suitable for TR4110 cookers

BGTR4110



Cast iron grill plate suitable for Victoria Cookers TR4110

PALPZ



Pizza shovel with fold away handle width: 315mm length: 325mm

BN640



Enamelled tray, 40mm deep



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

Symbols glossury (11)			
***	Heavy duty cast iron pan stands: for maximum stability and strength.		Installation in column: Installation in column
9	Knobs control		Air cooling system: to ensure a safe surface temperatures.
**	With the switch on this symbol, no heating is possible even if the thermostat is turned.	1 3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.		Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
Ċ	Light	W	Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ö	Side lights: Two opposing side lights increase visibility inside the oven.	.2 .	The oven cavity has 2 different cooking levels.
.4	The oven cavity has 4 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the

SMEG SPA 22/11/2024

oven entirely.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.




Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.





The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)