

TRA90GPP


Cooker size Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code 90x60 cm ELECTRICITY Gas Thermoseal Pyrolitic 8017709345143



Aesthetics

Aesthetic	Victoria	Controls colour	Stainless steel
Design	Victoria	No. of controls	8
Colour	Cream	Serigraphy colour	Silver
Finishing	Glossy	Display	electronic 5 buttons
Command panel finish	Enamelled metal	Door	With frame
Logo	assembled 50's	Glass type	Black
Logo position	Upstand+ Command panel	Handle	Smeg Victoria
Upstand	Yes	Handle Colour	Polished chrome
Hob colour	Black enamel	Storage compartment	Push pull
Type of pan stands	Cast Iron	Feet	none
Type of control setting	Control knobs	Plinth	Black
Control knobs	Smeg Victoria		

Programs / Functions





Cleaning functions



Pyrolytic

Hob technical features

UR

Total no. of cook zones 5					
Front left - Gas - Rapid - 2	Front left - Gas - Rapid - 2.90 kW				
Rear left - Gas - Semi Rap	oid - 1.80 kW				
Central - Gas - 2UR (dual)) - 5.00 kW				
Rear right - Gas - Semi Ro	Rear right - Gas - Semi Rapid - 1.80 kW				
Front right - Gas - AUX - 1.00 kW					
Type of gas burners	Standard	Gas safety valves	Yes		
Automatic electronic ignition	Yes	Burner caps	Matte black enamelled		

Main Oven Technical Features

1151t III 5			
No. of lights	2	Total no. of door glasses	4
Fan number	2	No.of thermo-reflective	2
Net volume of the cavity	115	door glasses	
Gross volume, 1st cavity	129 l	Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Cooling system	Tangential
No. of shelves	5	Door Lock During	Yes
Type of shelves	Metal racks	Pyrolisis	
Light type	Halogen	Usable cavity space dimensions (HxWxD)	371x724x418 mm
Light Power	40 W	Temperature control	Electro-mechanical
Cooking time setting	Start and Stop	•	
Light when oven door is	Yes	Lower heating element power	1700 W
open Door opening	Flap down	Upper heating element - Power	1200 W
Removable door	Yes	Grill elememt	1700 W
Full glass inner door	Yes	Large grill - Power	2900 W
Removable inner door	Yes		
		Circular heating element - Power	2 X 2000 VV

Grill type	Electric
Soft Close system	Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	280 °C
alarm			




Accessories included for Main Oven & Hob

Cast iron wok support	1	20mm deep tray	1
Moka stand in cast iron	1	40mm deep tray	1
Rack with back and side	1	Grill mesh	1
stop			

Electrical Connection

Plug Electrical connection	(I) Australia 3200 W	Type of electric cable installed	Yes, Single phase
rating Current	18 A	Type of electric cable	Yes, Double and Three Phase
Voltage	220-240 V	Frequency	50 Hz
Voltage 2 (V)	380-415 V	Terminal block	5 poles





Compatible Accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN920



Enamelled tray 90cm cavity, 20mm deep

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



BBQ9

teflon-coated aluminum grid for 90 cm cavity

BN940

Enamelled tray 90 cm, 40 mm deep



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



SFLK1 Child lock



Alternative products



TRA90GPBL


Colour: Black



TRA90GPGR Colour: Slate Grey

•se•smeg

Symbols glossary





	Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.	P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.
.5	The oven cavity has 5 different cooking levels.	D	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.	115R	The capacity indicates the amount of usable space in the oven cavity in litres.
Q	Knobs control		