

TRA93BL

Cooker size

N. of cavities with energy label

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

90x60 cm

3

Gas

Thermoseal Fan assisted

Vapour Clean

8017709184162



Aesthetics





Aesthetic Design Victoria Colour Black

Command panel finish

Logo

Logo position

Upstand

Hob colour

Type of pan stands

Type of control setting

Victoria

Enamelled metal

assembled 50's

Upstand

Yes

Black enamel

Cast Iron Control knobs Control knobs Controls colour

No. of controls

Serigraphy colour

Display

Door

Glass type

Handle

Handle Colour

Plinth

Smeg Victoria

Stainless steel

10 Silver

electronic 5 buttons

With frame

Black

Smeg Victoria

Brushed stainless steel

Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions

Static



Fan assisted



Circulaire

Fan assisted bottom

Cleaning functions



Vapour Clean

SMEG SPA 8/09/2024

5



Other functions



Programs / Functions Third Oven

No. of functions third oven Oven light

Full grill



Hob technical features



Total no. of cook zones 6

Front right - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Rapid - 1.85 kW Front centre - Gas - AUX - 1.00 kW Rear centre - Gas - Semi Rapid - 1.30 kW Rear left - Gas - AUX - 1.60 (BBQ) kW

Front left - Gas - UR - 4.20 kW

Type of gas burners Standard Automatic electronic

Yes

ignition

Gas safety valves

Burner caps

Matt black enamelled

316x444x425 mm

1200 W

Yes

Main Oven Technical Features



















No. of lights Net volume of the cavity 63 l Gross volume, 1st cavity 68 l

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop Door opening Side opening

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Options Main Oven

8/09/2024 **SMEG SPA**



Timer Yes End of cooking acoustic Yes

alarm

50 °C Minimum Temperature Maximum temperature 260 °C

Second Oven Technical Features













Net volume of the

second cavity Gross volume, 2nd

cavity

Cavity material

No. of shelves

Type of shelves No. of lights

Light type

Light Power

Door opening

Removable door

40 W

66 I

68 I

Ever Clean enamel

Metal racks

Halogen

Side opening

Yes

Full glass inner door Removable inner door

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential** 605x275x370 mm

Yes

Yes

Yes

2

1

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Circular heating element 2500 W

- Power

Grill type Electric

Options Auxiliary Oven

50 °C Minimum Temperature

245 °C Maximum temperature

Third Oven Technical Features



















Net volume, 3rd cavity Gross volume, 3rd

cavity

Cavity material

No. of shelves

Type of shelves

No. of lights Light type **Light Power**

Door opening Removable door Full glass inner door

36 I

41 I

Ever Clean enamel

2 Metal racks

1 Halogen

40 W Flap down

Yes Yes Removable inner door No. total door glasses

No. of thermo-reflective door glasses

Safety Thermostat

Cooling system **Tangential** 169x440x443 mm

Usable cavity space dimensions (HxWxD)

Temperature control

Large grill - Power

Grill type Tilting grill Electro-mechanical

2700 W Electric Yes

Yes

Yes

3

1

Options Third Oven

Minimum Temperature

Maximum temperature 260°C

Accessories included for Main Oven & Hob

50°C

8/09/2024 **SMEG SPA**





Cast iron wok support Moka stand in cast iron Rack with back and side 2

stop

40mm deep tray 1 Grill mesh Telescopic Guide rails,

partial Extraction

Accessories included for Secondary Oven



Oven grid with back Grill mesh stop Plate rack/warmer

Wide baking tray 1

Accessories included for Third Oven

Rack with back and side 1 stop

40mm deep tray

Electrical Connection

Plug (I) Australia **Electrical connection** 8300 W

rating

Current 36 A Voltage

Voltage 2 (V)

220-240 V 380-415 V

Type of electric cable

installed


Type of electric cable

Yes, Double and Three Phase

Yes, Single phase

50/60 Hz

Frequency Terminal block 5 poles





Not included accessories



TPKTR9

Teppanyaki grill plate for Victoria TR9, Master and Sinfonia cookers



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



KIT1TR9N

Splashback, 90x75 cm suitable for TR9



BN620-1

Enamelled tray, 20mm deep



Victoria cookers, black



вво

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



KITH93

Height extension kit (950 mm), suitable for TR93 cookers



STONE

Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

Symbols glossary (11)			
***	Heavy duty cast iron pan stands: for maximum stability and strength.		Installation in column: Installation in column
:::	Air cooling system: to ensure a safe surface temperatures.	*	With the switch on this symbol, no heating is possible even if the thermostat is turned.
\mathbb{Z}^2	Double glazed doors: Number of glazed doors.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
&	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	Ċ	Light
(Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ó, Ó	Side lights: Two opposing side lights increase visibility inside the oven.
	Warming up: An option for dish warming and keeping the prepared meals hot.	. <u>2</u>	The oven cavity has 2 different cooking levels.
.4	The oven cavity has 4 different cooking levels.	.9	The oven cavity has 9 different cooking levels.

SMEG SPA 8/09/2024

Electronic control: Allows you to maintain

souffles, puddings.

temperature inside the oven with the precision 2-

3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes,

Telescopic rails: allow you to pull out the dish and

check it without having to remove it from the oven

entirely.





Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns



AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)