


TRU36GGBL

Cooker size	36"
N. of cavities with energy label	1
Cavity heat source	GAS
Hob type	Gas
Type of main oven	Gas with gas grill
EAN code	8017709220938




Aesthetics

			
Aesthetic	Victoria	No. of controls	8
Colour	Black	Serigraphy colour	Silver
Design	Victoria	Handle	Smeg Victoria
Door	With frame	Handle Colour	Polished chrome
Upstand	Yes	Glass type	Black
Type of pan stands	Cast Iron	Feet	none
Command panel finish	Enamelled metal	Plinth	Anthracite
Control knobs	Smeg Victoria	Storage compartment	Drawer
Controls colour	Stainless steel	Logo	assembled 50's
Display	electronic 5 buttons	Logo position	Upstand
Colour of buttons	Black		

Programs / Functions

No. of cooking functions	1
Other functions	

	Defrost by time
--	-----------------

Hob technical features

	
Total no. of cook zones	5

Front left - Gas - Rapid - 2.80 kW - 9500 BTU

Rear left - Gas - Semi Rapid - 1.80 kW - 6000 BTU

Central - Gas - 2UR (dual) - 5.30 kW - 18000 BTU

Rear right - Gas - Semi Rapid - 1.80 kW - 6000 BTU

Front right - Gas - AUX - 1.00 kW - 3500 BTU

Type of gas burners	Standard	Gas safety valves	Yes
Automatic electronic ignition	Yes	Burner caps	Matt black enamelled

Main Oven Technical Features



Net volume of the cavity	4.20 cu. ft.	Full glass inner door	Yes
Gross volume, 1st cavity	4.45 cu. ft.	Removable inner door	Yes
Cavity material	Ever Clean enamel	Total no. of door glasses	3
No. of shelves	4	No. of thermo-reflective door glasses	1
Type of shelves	Metal racks	Safety Thermostat	Yes
Light type	Incandescent	Cooling system	Tangential
Light Power	25 W	Usable cavity space dimensions (HxWxD)	340x750x427 "
Cooking time setting	Start and Stop	Temperature control	Electro-mechanical
Door opening	Flap down	Grill type	Gas
Removable door	Yes		

Options Main Oven


End of cooking acoustic alarm	Yes	Maximum temperature	500 °F
Minimum Temperature	122 °F		

Accessories included for Main Oven & Hob


Cast iron wok support	1	Oven grid with stop, tray support	2
Moka stand in cast iron	1	Wide baking tray	2

Electrical Connection

Plug	(B) USA 120V	Frequency	60 Hz
Voltage	120 V	Terminal block	3 poles
Power supply cable length	47 1/4 "		














Not included accessories



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

Symbols glossary (TT)

	Heavy duty cast iron pan stands: for maximum stability and strength.		Air cooling system: to ensure a safe surface temperatures.
	Defrost by time: Manual defrost function. At the end of the set duration, the function stops.		Triple glazed doors: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking		Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
	The oven cavity has 4 different cooking levels.		Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
	The capacity indicates the amount of usable space in the oven cavity in litres.		

Benefit (TT)

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel