

# TRU36GGBL

Range size 36"
N. of cavities with energy label 1
Oven energy source Gas
Cooktop type Gas

Main ovenGas with grillEAN code8017709220938



#### **Aesthetic**



AestheticsVictoriaNo. of controls8ColorBlackSilkscreen colorSilverDesignVictoriaHandleVictoria

DoorWith frameHandle colorPolished chrome

Upstand Yes Door glass type Black Grates Cast Iron Feet none Control panel finish Metal enameled **Plinth** Anthracite Control knobs Victoria Storage compartment Drawer Controls color Stainless steel Retro-style Electronic - 5 buttons Display Logo position Upstand

### **Programs / Functions**

Black

No. of cooking functions
Other functions



\*

Defrost by time

Control buttons color

# **Cooktop technical features**



Cooking zones 5



Front-left - Gas - Rapid - 2.80 kW - 9500 BTU

Rear-left - Gas - Semi-rapid - 1.80 kW - 6000 BTU Center - Gas - Dual ultra-rapid - 5.30 kW - 18000 BTU Rear-right - Gas - Semi-rapid - 1.80 kW - 6000 BTU Front-right - Gas - AUX - 1.00 kW - 3500 BTU

Burners type Standard Gas safety valves Yes

Automatic gas ignition Yes **Burner** caps Enameled matte black

#### Main Oven Technical Features















Metal racks

Net volume of the cavity 4.20 cu. ft.

Volume 4.45 cu. ft.

Cavity material EverClean enamel

No. of shelves

Shelves type

Light type Incandescent

25 W **Light Power** 

Start and end Time setting Drop-down

Door opening

Removable door Yes Full-glass inner door

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety thermostat Yes

Cooling system **Tangential** 340x750x427 " Inner cavity dimensions

(HxWxD)

Temperature control

Grill type Gas

### Main oven options

End-of-cooking alarm Minimum Temperature

Yes 122 °F Maximum temperature

500 °F

2

Electro-mechanical

Yes

### Accessories included for main oven and cooktop

Cast iron wok support Moka cast-iron stand

Moka ring

Oven grid with backstop, tray support

Wide baking tray 2

#### **Electrical Connection**

Plug


(B) USA 120V

Voltage 120 V 47 1/4 "

Power cord length

Frequency Terminal block 60 Hz 3 pins







# Not included accessories

#### SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



### Symbols glossary (TT)



Heavy duty cast iron pan stands: for maximum stability and strength.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The oven cavity has 4 different cooking levels.



The capacity indicates the amount of usable space in the oven cavity in litres.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



The inner door glass: can be removed with a few quick movements for cleaning.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.