

TSF02RDUK

Category	Breakfast
Product Family	Toaster
Version	UK
No. of slots	2
No. of slices	4
EAN code	8017709190767



Aesthetics

Aesthetics	50's Style	Top colour	Polished chrome
Series	NA	Cable colour	Grey
Colour	Red	Body material	Stainless steel
Finishing	Gloss	Base material	Plastic
Decoration / Special colour	NA	Top material	Stainless steel
Collaborations	NA	Type of logo	Applied
Base colour	Polished chrome		

Controls

Nr control panel	1	Control knobs material	Plastic
Type of controls	Lever, Buttons, Control knobs	Button material	Plastic
Lever material	Stainless steel		

Technical Features

Start cycle	Sliding lever	Crumb Tray	Yes
Activate functions	Backlit buttons	Nr Crumb tray	1
Warming level adjustment	Illuminated control knobs	Crumb tray material	Polished steel
Slot width	36 mm	Anti-slip feet	Yes
Automatic pop-up	Yes	Integrated cord	Yes

Electrical Connection

Plug	(G) UK e Singapore	Frequency (Hz)	50/60 Hz
Power	1500 W	Power supply cable length	1 m
Voltage	220-240 V		

Logistic Information

Width	394mm	Packaged depth	246 mm
Product depth	208mm	Height (mm) packed	270 mm
Product height	215mm	Width (in) packed	17.95 "
Product dimensions	215 x 394 (410 with ball lever included) x 208 mm	Depth (in) packed	9.69 "
		Height (in) packed	10.63 "
Gift box width	360 mm	Net weight (kg)	3,300 kg
Gift box depth	220 mm	Gross weight (kg)	4,800 kg
Gift box height	242mm		
Packed width	456 mm		

Not included accessories



TSSR02

Sandwich rack set (2 pcs) Steel grill and steel bottom box Plastic handles with anti-heat treatment



TSBW02

Steel grill with plastic handles with anti-heat treatment.

Benefit

3 different cooking functions

6 toasting levels offer the best results plus a defrost function; reheat function; and a bagel function which toasts just one side of the slice

Automatic slices popup

Experience ultimate comfort with the automatic slices popup feature

Removable crumbtray

Simplify the cleaning process with the convenient crumb tray

Extrawide slots with automatic slices centering

Enjoy versatile toasting with wide slots featuring automatic centering, accommodating slices of varying thickness