U8C082DE



Product Family	Refrigerator
Installation	Built-in
Category	Under counter
Built-in niche	82 - 87
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Manual
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709337148

Aesthetics

Aesthetic	Universale
Colour	White
Design	Flat
Material	Metal sheet
Side material	Steel
Side colour	White
Logo	Silk screen
Door shelves profile color	Silver
Drawers profile color	Silver
Color of glass shelf profile	Chrome
Display position	Interno (cella frigo)

Refrigerator compartment features

No. of adjustable shelves	2
Number of fruit and vegetables drawers	1
Shelves material	Glass
Type of crisper/vegetable drawers cover	Standard
Crisper Cover	Yes
Type of crisper/vegetable drawers cover	Plastic
No. of lights refrigerator compartment	1
Internal light in fridge	Yes
Type of internal light (fridge)	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1
Adjustable door shelves with wire support	Yes
No. of bottle shelves	1
Bottle shelves with wire support	Yes

Other Refrigerator features

Accessories	Kit listeria, Egg tray

Freezer compartment features

Internal freezer compartment	Yes

Other technical features

Functions display	Super function, Temperature regulation
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Refrigerant Quantity (g)	32 g
Max weight door panel (fridge)	32 kg
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	148 kWh/a	**Airborne acoustical noise emissions**	38 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	8,20 h
Airborne acoustical noise emission class	C	**4 star - Freezing capacity**	1,5 kg/24h
Total net volume	110 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	16 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	94 l		


Electrical Connection

Electrical connection rating	110 W	**Frequency (Hz)**	50 Hz
Current	0,9 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	596 mm	**Height**	819 mm

Width of the built-in niche	600 mm	**Height of the built-in niche**	820 mm
Depth without handle	547 mm	**Product width with maximum doors opening**	777 mm
Depth of the built-in niche	550 mm		



Symbols glossary



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche