

U8C082DF



Product Family Refrigerator
Installation Built-in
Category Under counter

Built-in niche82 - 87Reference widthUntil 60 cmReference heightUntil 100 cm

Cooling typeStaticDefrostManualHinge typeDoor on door

Hinge position Right Reversible door Yes

EAN code 8017709295493



Aesthetics



AestheticUniversaleLogoSilk screenColourWhiteDoor shelves profileSilver

Design Flat Color

MaterialMetal sheetDrawers profile colorSilverSide materialSteelColor of glass shelfChromeSide colourWhiteprofile

Side colour White profile Display

Display porition Interno (cella frigo)

LED

Refrigerator compartment features



No. of adjustable 2 Crisper Cover Yes

shelves Type of Plastic
Number of fruit and 1 crisper/vegetable
vegetables drawers drawers cover

vegetables drawers

Type of adjustable
Shelves

Glass

Glass

Type of internal light

LED

shelves Type of internal light LED
Type of Standard (fridge)

drawers cover

crisper/vegetable

transparent cover

Refrigerator Inner Door

No. of door shelves with 1 No. of bottle shelves 1



Adjustable door shelves Yes with wire support

Bottle shelves with wire Yes support

Other Refrigerator features

Accessories

Kit listeria, Egg tray

Freezer compartment features

Internal freezer compartment

Yes

Other technical features

Functions display Super function, Temperature regulation

Type of temperature control Electronic

No. of compressors

Refrigerant gas type R600a
Refrigerant Quantity (g) 32 g
Max weight door panel (fridge) 32 kg

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

F Å

Annual energy 185 kWh/a Airborne acoustical 38 dB(A) re 1 pW

1

consumption noise emissions

94 I

Energy efficiency class F Temperature Rise Time 8,20 h
Airborne acoustical C 4 star - Freezing 2,6 kg/24h

noise emission class capacity

Total net volume 111 Climate class SN, N, ST

Sum of the volumes of 16 l EEI 124 %

the frozen
compartment(s)

Electrical Connection

Sum of the volumes of the chill compartment(s)

and the unfrozen
compartment(s)

Frequency (Hz) 50 Hz rating Power supply cable 240 cm


Current 0,9 A length

Voltage (V) 230-240 V Plug (F;E) Schuko

Logistic Information



Width 596 mm Height 819 mm Width of the built-in Height of the built-in 600 mm 820 mm niche niche Depth without handle 547 mm Product width with 777 mm maximum doors opening Depth of the built-in 550 mm niche





Symbols glossary



4 stars freezing compartment for better food preservation.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class F



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche