

# U8L080DE



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	Under counter
<b>Built-in niche</b>	82 - 87
<b>Reference width</b>	Until 60 cm
<b>Reference height</b>	Until 100 cm
<b>Cooling type</b>	Static
<b>Hinge type</b>	Door on door
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709337155



## Aesthetics

<b>Aesthetic</b>	Universale	<b>Side colour</b>	White
<b>Colour</b>	White	<b>Logo</b>	Silk screen
<b>Design</b>	Flat	<b>Door shelves profile color</b>	Silver
<b>Material</b>	Metal sheet	<b>Drawers profile color</b>	Silver
<b>Handle type</b>	Fixed	<b>Color of glass shelf profile</b>	Chrome
<b>Side material</b>	Steel		

## Refrigerator compartment features



<b>Number of compartments</b>	1	<b>Crisper Cover</b>	Yes
<b>Compartment types</b>	Fruit and vegetable compartment	<b>Type of crisper/vegetable drawers cover</b>	Plastic
<b>No. of adjustable shelves</b>	3	<b>No. of lights refrigerator compartment</b>	1
<b>Number of fruit and vegetables drawers</b>	1	<b>Internal light in fridge</b>	Yes
<b>Shelves material</b>	Glass	<b>Type of internal light (fridge)</b>	LED
<b>Type of crisper/vegetable drawers cover</b>	Standard		

## Refrigerator Inner Door

<b>No. of door shelves with transparent cover</b>	1	<b>No. of bottle shelves</b>	1
---	---	------------------------------	---

Bottle shelves with wire support Yes

Adjustable door shelves with wire support Yes


## Other Refrigerator features

Accessories Egg tray

## Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Refrigerant Quantity (g)	18 g
Max weight door panel (fridge)	31 kg
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019


			
Annual energy consumption	92 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	134 l
Energy efficiency class	E	Airborne acoustical noise emissions	38 dB(A) re 1 pW
Airborne acoustical noise emission class	C	Climate class	SN, N, ST, T
Total net volume	134 l	EEl	99 %

## Electrical Connection

Electrical connection rating	110 W	Frequency (Hz)	50 Hz
Current	0,8 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

## Logistic Information

Width	596 mm	Height	819 mm
Width of the built-in niche	600 mm	Height of the built-in niche	820 mm
Depth without handle	547 mm	Product width with maximum doors opening	777 mm
Depth of the built-in niche	550 mm		



---

## Symbols glossary

---



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche



Energy efficiency class E