U8L080DE



Product Family	Refrigerator
Installation	Built-in
Category	Under counter
Built-in niche	82 - 87
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709337155

Aesthetics

Aesthetic	Universale	**Side colour**	White
Colour	White	**Logo**	Silk screen
Design	Flat	**Door shelves profile color**	Silver
Material	Metal sheet	**Drawers profile color**	Silver
Handle type	Fixed	**Color of glass shelf profile**	Chrome
Side material	Steel		

Refrigerator compartment features

Number of compartments	1	**Crisper Cover**	Yes
Compartment types	Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Plastic
No. of adjustable shelves	3	**No. of lights refrigerator compartment**	1
Number of fruit and vegetables drawers	1	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED
Type of crisper/vegetable drawers cover	Standard		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Bottle shelves with wire support	Yes
Adjustable door shelves with wire support	Yes

Other Refrigerator features

Accessories	Egg tray

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Refrigerant Quantity (g)	18 g
Max weight door panel (fridge)	31 kg
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	92 kWh/a
Energy efficiency class	E
Airborne acoustical noise emission class	C
Total net volume	134 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	134 l
Airborne acoustical noise emissions	38 dB(A) re 1 pW
Climate class	SN, N, ST, T
EEI	99 %

Electrical Connection

Electrical connection rating	110 W
Current	0,8 A
Voltage (V)	230-240 V
Frequency (Hz)	50 Hz
Power supply cable length	240 cm
Plug	(F;E) Schuko

Logistic Information

Width	596 mm
Width of the built-in niche	600 mm
Depth without handle	547 mm
Depth of the built-in niche	550 mm
Height	819 mm
Height of the built-in niche	820 mm
Product width with maximum doors opening	777 mm


600
min.550
597
545
820-890
819+10
170+10
17
100-170
25-80
580
25

Symbols glossary



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche



Energy efficiency class E