

# UD125BKHK



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	Under counter
<b>Built-in niche</b>	82 - 87
<b>Reference width</b>	Until 60 cm
<b>Reference height</b>	Until 100 cm
<b>Cooling type</b>	Static
<b>Defrost</b>	Automatic for refrigerator, manual for freezer
<b>Hinge type</b>	Standard
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes



## Aesthetics

<b>Aesthetics</b>	Universal	<b>Handle type</b>	Fixed
<b>Colour</b>	White	<b>Logo colour</b>	Black
<b>Design</b>	Flat	<b>Side material</b>	Steel
<b>Material</b>	Metal sheet	<b>Side colour</b>	White

## Refrigerator compartment features



<b>Number of compartments</b>	1	<b>Crisper Cover</b>	Yes
<b>Compartment types</b>	Fruit and vegetable compartment	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>No. of adjustable shelves</b>	2	<b>No. of lights</b>	1
<b>Number of fruit and vegetables drawers</b>	1	<b>Internal light in fridge</b>	Yes
<b>Shelves material</b>	Glass	<b>Type of internal light (fridge)</b>	LED
<b>Type of crisper/vegetable drawers cover</b>	Standard		

## Refrigerator Inner Door

<b>No. of door shelves with transparent cover</b>	1	<b>No. of bottle shelves</b>	1
---	---	------------------------------	---

## Other Refrigerator features

Accessories Egg tray

## Freezer compartment features

Internal freezer compartment Yes

## Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	40 g
Foam agent	Cyclopentane

## Performance / Energy Label

Annual energy consumption	132 kWh/year	Noise level	39 dB(A) re 1 pW
Total volume	113 l	4 star - Freezing capacity	2,0 kg/24h
Sum of the volumes of the frozen compartment(s)	17 l	Climatic class	ST
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	96 l		

## Electrical Connection

Nominal power	123 W	Frequency (Hz)	50 Hz
Current	0,55 A	Power supply cable length	240 cm
Voltage (V)	220-240 V	Plug	(G) UK e Singapore

## Logistic Information

Width (mm)	595 mm	Depth of the built-in niche	550 mm
Width of the built-in niche	600 mm	Product Height with feet	812 mm
Depth without handle	548 mm	Height of the built-in niche	820 mm

---

## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche