

UG401DMSR

Family	Professional dishwasher
Subfamily	Undercounter Glasswasher
Basket dimensions	Diameter 400 mm
Panel	Ecoline
Filter	4-stages filter system
Usable load height	309 mm
Power connection	230 V~ / 13 A / 3,0 kW / 50 Hz
Depth with open door	882 mm
Product dimensions WxDxH	440x530x670 mm



Target

Solutions	Coffee shops/Wine bars
-----------	------------------------

Aesthetics

Series	Ecoline	Control panel	electronic
--------	---------	---------------	------------

Functions



Functionality	4-stages filter; Door clearance 309mm
---------------	---------------------------------------

Programs

Programs	3 automatic programs; Self-cleaning programs
Program options	Extra rinse; Clean water cycle
Program specifications	Boiler 85°C/Tank 60°C - 1'30"; Boiler 85°C/Tank 60°C - 2'30"; Boiler 85°C/Tank 60°C - 4'
Drain and self cleaning cycle	Yes
Maximum basket/hour	40

Interface

Display	4 digit	Salt alert	Yes
---------	---------	------------	-----

Number of buttons	5	Manual diagnostic	Yes
On/Off button	Yes		

Construction

Tank Construction	With printed base Partial double wall	Door gasket	Only up
Tank material	Stainless steel AISI 304	Rack guides	Embossed
Back panel	Galvanized	Tank capacity	7 l
Door	Double wall	Boiler capacity	4.5 l
Tank filter	Plastic	Protection class	IPX4
Washing spray arm	2 in stainless steel	Adjustable feet	Yes
Rinse spray arm	Plastic	Net weight	38.000 kg
		Drain max. height	600 mm

Technical Features

Tank heating element	2000 W	Warm water connection	8°C
Boiler heating element	2700 W	Max temperature inlet water	60°C
Washing pump	290 W	Max water hardness	54°F - 30°dH
Default connection	3000 W	Inlet pressure	2,5-6 bar / 250-600 kPa
Water cycle consumption	3 l		

Electrical Connection

Plug	(F;E) Schuko
------	--------------


Equipments

Drain pump	Yes	Detergent load	1,5 l/h
Peristaltic detergent doser	Electronic control	Rinse load	0,4 l/h
Peristaltic rinse-aid doser	Electronic control	Cycle counter	Yes
Default chemicals dosing unit of measure	gr/lt	Partial renewal of water in the tank and built-in drain pump	Yes
Automatic incorporated softener	Yes	Water supply pipe diameter	DN15 - ½"
Thermostop system	Yes	Drain supply pipe diameter	DN20-G 3/4"
Soft Start system	Yes	Detergent (red) hose lenght	2,2m
Automatic start	Yes, default OFF	Rinse aid (blue) hose lenght	2,2m

Accessories Included

Cutlery basket	1x PHOOS01	Drain hose	Yes - 2m
----------------	------------	------------	----------

Flat basket	2x RB40G01	Other basket and accessory	1x RB40A3
Water supply hose	Yes - 1,5m		



R	Pannello retro	Lower back panel
Q	Morsetto equipotenziale	Earth terminal
C	Tubo di carico	Filler hose
S	Tubo di scarico	Drain hose
P	Tubi pompe peristaltiche	Peristaltic hoses
E	Cavo alimentazione elettrica	Electricity supply cable

Not included accessories




RB40G01

Universal wire basket with flat bottom,
Ø 400 mm, h 140 mm



WH00S01

Wire insert for 12 small dishes



WB40G01

Universal wire basket with flat bottom,
400x400x120 mm

KITRB40G01

Kit of 2 wire round baskets and adaptor
for Ecoline



WS4

Underframe for glasswasher 400,
495x530x490 mm



PHO0GR4

Glass basket for 400x400 glasswashers



PHOOS02

6 compartments polypropylene basket
for cutlery



RB40A3

Adapter for round basket for single
wall models and 460 mm
glasswashers



PHOOS01

Polypropylene single basket for
cutlery



WB40G02

Sloped bottom 4 compartments wire
basket for max 90 mm diameter
glasses, 400x400x168 mm

WB40PG4

Wire basket for plastic glasses with
flat bottom, 400X400X210 mm

WB40G03

Sloped bottom 3 compartments wire
basket for max 120 mm diameter
glasses, 400x400x168 mm



WB40D01

Wire basket for 16 dishes max
diameter 315 mm, 400x400 mm

Symbols glossary (TT)



4 STAND FILTER



MAX.USABLE HEIGHT 309mm