

UKC81721E



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709323950



Aesthetics



Aesthetics	Universal	Door shelves profile colour	Silver
Colour	Silver	Drawers profile colour	Silver
Material	Metal sheet	Colour of glass shelf profile	Chrome
Side material	Steel	Display	LED
Side colour	Silver	Display position	Interior
Logo	Silk screen		

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	4	No. of lights	1
Number of fruit and vegetables drawers	2	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2		

Other Refrigerator features



Accessories

Egg tray

Fan

Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 1 ice box

Other technical features



Functions display
Fast freezing button
Temperature alarm lamp
Door open alarm
Type of temperature control
No. of compressors
Refrigerant gas type
Type of compressor
Refrigerant Quantity (g)
Foam agent

Fast freezing
Yes
Yes
Yes
Electronic
1
R600a
Standard
82 g
Cyclopentane

Performance / Energy Label



Annual energy consumption	220 kWh/year	Total volume	272 l
Energy efficiency class	E	Thaw time	11,50 h
Airborne acoustical noise emission class	B	4 star - Freezing capacity	3,3 kg/24h
Total volume	269 l	Climatic class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	73 l	EEI	100 %


**Sum of the volumes of 196 l
the chill compartment(s)
and the unfrozen
compartment(s)**

Electrical Connection

Nominal power	100 W	Frequency (Hz)	50 Hz
Current	1,2 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore

Logistic Information

Width of the built-in niche	560 mm	Product Height with feet	1772 mm
Depth of the built-in niche	550 mm	Height of the built-in niche	1780 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Built-in niche