UKC8173N1E



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted refrigerator, no-frost freezer
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709331726

Aesthetics

Aesthetic	Universale	**Logo**	Silk screen
Colour	White	**Door shelves profile color**	Silver
Material	Metal sheet	**Drawers profile color**	Silver
Handle type	Fixed	**Color of glass shelf profile**	Chrome
Side material	Steel	**Display**	LED
Side colour	White	**Display position**	Interno (cella frigo)

Refrigerator compartment features

No. of adjustable shelves	4	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	2	**No. of lights refrigerator compartment**	1
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	Standard	**Type of internal light (fridge)**	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Number of adjustable door shelves	2

Other Refrigerator features

Accessories	Egg tray

Freezer compartment features

Number of drawers	3

Other Freezer features

Accessories	1 ice box

Other technical features



Functions display	Fast freezing
Fast freezing button	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	50 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	216 kWh/a	**Airborne acoustical noise emissions**	35 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	9,50 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	4,5 kg/24h
Total net volume	257 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	62 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	195 l		


Electrical Connection

		Frequency (Hz)	50 Hz

Electrical connection rating	100 W	**Power supply cable length**	240 cm
Current	1,1 A	**Plug**	(G) UK e Singapore
Voltage (V)	230-240 V		

Logistic Information

Width	546 mm	**Depth of the built-in niche**	550 mm
Width of the built-in niche	560 mm	**Height**	1772 mm
Depth without handle	549 mm	**Height of the built-in niche**	1780 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Built-in niche



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.