

UKC8174NE







Product Family Refrigerator Installation Built-in **Bottom Mount** Category

Built-in niche 178 Until 60 Reference width 160 - 200 Reference height No-Frost system Only freezer

Cooling type Fan assisted refrigerator, no-frost

freezer **Defrost** Automatic Slidina Hinge type Right Hinge position Reversible door Yes

EAN code 8017709323936



Aesthetics



Aesthetics Universal Door shelves profile Silver colour Colour White Drawers profile colour Silver Material Metal sheet Colour of glass shelf Chrome Side material Steel

profile Side colour White Display

LCD Touch Logo Silk screen Display position Interior (on the top)

Refrigerator compartment features



Crisper Cover

No. of adjustable 2 Type of Glass shelves crisper/vegetable

drawers cover Number of fruit and 2 vegetables drawers No. of lights 1 Type of adjustable Glass Yes

Internal light in fridge shelves Type of internal light **LED** Standard Type of (fridge)

crisper/vegetable drawers cover Yes

Refrigerator Inner Door

No. of door shelves with 1 No. of bottle shelves 1 transparent cover

SMEG SPA 28/04/2025



Number of adjustable door shelves

1

Other Refrigerator features

*

Accessories Egg tray Fan Yes

Freezer compartment features

Number of drawers 4

Other Freezer features

Accessories 1 ice box

Other technical features







Functions display Holiday, Fast freezing, Fast cooling

Fast freezing button

Door open alarm

Yes

Type of temperature control

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor Variable Speed Compressor

Refrigerant Quantity (gr) 55 g
Foam agent Cyclopentane

Performance / Energy Label



Annual energy 236 KWh/year

consumption Thaw time
Energy efficiency class E 4 star - Freezing
Airborne acoustical B capacity

noise emission class Climatic class SN, N, ST, T Total volume 242 l EEI 100 %

Sum of the volumes of 881 the frozen

compartment(s)
Sum of the volumes of 1541

the chill compartment(s)
and the unfrozen
compartment(s)

SMEG SPA 28/04/2025

Noise level

35 dB(A) re 1 pW

10.30 h

8.3 Kg/24h



Electrical Connection

Plug (G) UK e Singapore

Nominal power 120 W Current 1 A Voltage (V) 230-240 V Frequency (Hz) 50 Hz Power supply cable 240 cm length

min 200cm²

540

550

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.88

1.

min 200cm²

SMEG SPA 28/04/2025



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LCD display: to optimize performance and simplify the use of the appliance.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Built-in niche



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

SMEG SPA 28/04/2025



Benefit

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

Internal display

Internal display for targeted temperature control and a clean, minimalist design

SMEG SPA 28/04/2025