

UKFF18EN2HB



Product Family	Freezers
Installation	Free Standing
Category	Single door
Cooling type	No Frost
Hinge type	Standard
Hinge position	Left
Reversible door	Yes



Aesthetics



Aesthetics	Universal	Handle	External
Colour	Black	Handle type	Fixed
Design	Flat	Handle colour	Black
Finishing	Fingerproof	Side material	Metal
Material	Stainless steel	Side colour	Black
Door steel type	Finger friendly stainless steel	Logo	Applied

Freezer compartment features

Number of drawers	5
No. of compartments with flap	2

Other technical features



Freezer compartment accessories	Ice cube tray	Refrigerant gas type	R600a
Fast freezing button	Yes	Type of compressor	Inverter
Power on lamp	Yes	Refrigerant Quantity (gr)	60 g
Temperature alarm	Yes	Foam agent	Cyclopentane
Type of temperature control	Electronic	Metal panel on the back of the fridge	PP+Al foil
No. of compressors	1		


Performance / Energy Label



Annual energy consumption	249 kWh/year	Thaw time	16.5 h
Total volume	279 l	4 star - Freezing capacity	13.0 kg/24h
Energy efficiency class	E	Climatic class	SN, T
Airborne acoustical noise emission class	C	EEl	100 %
Sum of the volumes of the frozen compartment(s)	280 l		

Electrical Connection

Nominal power	183 W	Frequency (Hz)	50 Hz
Current	1.25 A	Power supply cable length	210 cm
Voltage	220-240 V	Plug	(G) UK e Singapore



Symbols glossary



4 stars freezing compartment for better food preservation.



Energy efficiency class E



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.