UKFS08EW



Product Family	Refrigerator
Installation	Free Standing
Category	Under counter
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Standard
Door opening flush with the wall	Yes
Hinge position	Right
Reversible door	Yes
EAN code	8017709340940

Aesthetics

Aesthetics	Universal	**Side material**	Steel
Colour	White	**Side colour**	White
Material	Metal sheet	**Logo**	Applied
Handle	Integrated	**Door shelves profile colour**	White
Handle type	Fixed		
Logo colour	Black	**Drawers profile colour**	White

Refrigerator compartment features

Number of compartments	1	**Shelves material**	Glass
Compartment types	Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Standard
No. of adjustable shelves	1	**Crisper Cover**	Yes
Number of fruit and vegetables drawers	1	**Type of crisper/vegetable drawers cover**	Glass

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Freezer compartment features

Internal freezer compartment	Yes

Other technical features

Antibacterial Gasket	Yes
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Foam agent	Cyclopentane

Performance / Energy Label


Annual energy consumption	132 kWh/year
Energy efficiency class	E
Airborne acoustical noise emission class	C
Total volume	82 l
Sum of the volumes of the frozen compartment(s)	8 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	74 l
Noise level	41 dB(A) re 1 pW
Climatic class	N, ST, T
EEI	100 %

Electrical Connection

Nominal power	125 W
Current	0,7 A
Voltage (V)	220-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm
Plug	(F;E) Schuko

Logistic Information

Width (mm)	480 mm
Depth without handle	560 mm
Product Height with feet	838 mm
Product width with maximum doors opening	580 mm


838
480
560

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Antibacterial treatment: antibacterial treatment to ensure better hygiene



Energy efficiency class E