

# UKFS18EV2HB



|                 |               |
|-----------------|---------------|
| Product Family  | Refrigerator  |
| Installation    | Free standing |
| Category        | One Door      |
| Reference width | Until 60 cm   |
| Cooling type    | Fan assisted  |
| Defrost         | Automatic     |
| Hinge type      | Standard      |
| Hinge position  | Right         |
| Reversible door | Yes           |
| EAN code        | 8017709296124 |



## Aesthetics



|                 |                 |               |         |
|-----------------|-----------------|---------------|---------|
| Aesthetic       | Universale      | Handle type   | Fixed   |
| Colour          | Black           | Handle colour | Black   |
| Design          | Flat            | Logo colour   | Chrome  |
| Finishing       | Fingerproof     | Side material | Steel   |
| Material        | Stainless steel | Side colour   | Black   |
| Door steel type | Finger proof    | Logo          | Applied |
| Handle          | External        |               |         |

## Refrigerator compartment features



|   |          |   |       |
|---|----------|---|-------|
| No. of adjustable shelves               | 4        | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers  | 2        | Life Plus zone-0°C                      | Yes   |
| Type of adjustable shelves              | Glass    | Internal light in fridge                | Yes   |
| Type of crisper/vegetable drawers cover | Standard | Type of internal light (fridge)         | LED   |
| Crisper Cover                           | Yes      |   |       |

## Refrigerator Inner Door

|                                   |   |                       |   |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 4 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

## Other Refrigerator features



MultiFlow

Yes

Fan

Yes

## Other technical features

|                             |                    |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors          | 1                  |
| Refrigerant gas type        | R600a              |
| Type of compressor          | Standard           |
| Refrigerant Quantity (g)    | 39 g               |
| Foam agent                  | Cyclopentane       |

## Performance / Energy Label - Reg. 2019





|  |           |  |                  |
|--|-----------|--|------------------|
| Annual energy consumption                | 121 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 390 l            |
| Energy efficiency class                  | E         | Airborne acoustical noise emissions  | 40 dB(A) re 1 pW |
| Airborne acoustical noise emission class | C         | Climate class  | SN, T            |
| Total net volume                         | 389 l     | EEI  | 100 %            |

## Electrical Connection









|                              |           |                           |                    |
|------------------------------|-----------|---------------------------|--------------------|
| Electrical connection rating | 110 W     | Frequency (Hz)            | 50 Hz              |
| Current                      | 0,52 A    | Power supply cable length | 200 cm             |
| Voltage (V)                  | 220-240 V | Plug                      | (G) UK e Singapore |

## Logistic Information

|                      |        |  |         |
|----------------------|--------|--|---------|
| Width                | 595 mm | Height                                   | 1860 mm |
| Depth without handle | 650 mm | Product width with maximum doors opening | 982 mm  |



## Symbols glossary

|  |  |   |   |
|--|--|---|---|
|  | A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.       |  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.              |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                            |  | Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.         |
|  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.                    |  | Energy efficiency class E   |