

UKS4C092D



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	88
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709346379



Aesthetics



Aesthetics	Universal	Side colour	White
Colour	White	Logo	Silk screen
Design	Flat	Door shelves profile colour	White
Material	Metal sheet	Colour of glass shelf profile	White
Handle type	Fixed	Display	LCD
Logo colour	Black	Display position	Interior
Side material	Steel		

Refrigerator compartment features



Number of compartments	1	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights	1
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2		

Other Refrigerator features

Accessories	Egg tray
-------------	----------


Freezer compartment features

Internal freezer compartment	Yes
------------------------------	-----

Other technical features

Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	28 g
Foam agent	Cyclopentane

Performance / Energy Label

 Annual energy consumption	114 kWh/year	Noise level	36 dB(A) re 1 pW
Energy efficiency class	D	Thaw time	9,5 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	2,6 kg/24h
Total volume	124 l	Climatic class	SN, N, ST
Sum of the volumes of the frozen compartment(s)	14 l	EEI	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	110 l		


Electrical Connection

Nominal power	100 W	Frequency (Hz)	50 Hz
Current	0,6 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore






Logistic Information

Width (mm) 548 mm
Width of the built-in niche 560 mm
Depth without handle 549 mm
Depth of the built-in niche 550 mm

Product Height with feet 873 mm
Height of the built-in niche 880 mm
Product width with maximum doors opening 548 mm
Spacer depth 38 mm



Symbols glossary

- | | | | |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Energy efficiency class D |
|  | LCD display: to optimize performance and simplify the use of the appliance. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche | | |