

UKS4C092D



| | |
|-------------------------|---------------|
| Product Family | Refrigerator |
| Installation | Built-in |
| Category | One Door |
| Built-in niche | 88 |
| Reference width | Until 60 cm |
| Reference height | Until 100 cm |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Sliding |
| Kitchen panel | Not supplied |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709346379 |



Aesthetics



| | | | |
|----------------------|-------------|--------------------------------------|-------------|
| Aesthetics | Universal | Side colour | White |
| Colour | White | Logo | Silk screen |
| Design | Flat | Door shelves profile colour | White |
| Material | Metal sheet | Colour of glass shelf profile | White |
| Handle type | Fixed | Display | LCD |
| Logo colour | Black | Display position | Interior |
| Side material | Steel | | |

Refrigerator compartment features



| | | | |
|--|---------------------------------|--|-------|
| Number of compartments | 1 | Crisper Cover | Yes |
| Compartment types | Fruit and vegetable compartment | Type of crisper/vegetable drawers cover | Glass |
| No. of adjustable shelves | 2 | No. of lights | 1 |
| Number of fruit and vegetables drawers | 1 | Internal light in fridge | Yes |
| Shelves material | Glass | Type of internal light (fridge) | LED |
| Type of crisper/vegetable drawers cover | Standard | | |

Refrigerator Inner Door

| | | | |
|--|---|-----------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 2 | | |

Other Refrigerator features

| | |
|-------------|----------|
| Accessories | Egg tray |
|-------------|----------|


Freezer compartment features

| | |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

Other technical features

| | |
|-----------------------------|--------------|
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 28 g |
| Foam agent | Cyclopentane |

Performance / Energy Label

| | | | |
|--|--------------|----------------------------|------------------|
|  | | | |
| Annual energy consumption | 114 kWh/year | Noise level | 36 dB(A) re 1 pW |
| Energy efficiency class | D | Thaw time | 9,5 h |
| Airborne acoustical noise emission class | C | 4 star - Freezing capacity | 2,6 kg/24h |
| Total volume | 124 l | Climatic class | SN, N, ST |
| Sum of the volumes of the frozen compartment(s) | 14 l | EEI | 80 % |
| Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 110 l | | |


Electrical Connection

| | | | |
|---------------|-----------|---------------------------|--------------------|
| Nominal power | 100 W | Frequency (Hz) | 50 Hz |
| Current | 0,6 A | Power supply cable length | 240 cm |
| Voltage (V) | 230-240 V | Plug | (G) UK e Singapore |






Logistic Information

Width (mm) 548 mm
Width of the built-in niche 560 mm
Depth without handle 549 mm
Depth of the built-in niche 550 mm

Product Height with feet 873 mm
Height of the built-in niche 880 mm
Product width with maximum doors opening 548 mm
Spacer depth 38 mm



Symbols glossary

- | | | | |
|--|---|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Energy efficiency class D |
|  | LCD display: to optimize performance and simplify the use of the appliance. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche | | |