# UKS4C092D



| | |
|---|---|
| **Product Family** | Refrigerator |
| **Installation** | Built-in |
| **Category** | One Door |
| **Built-in niche** | 88 |
| **Reference width** | Until 60 cm |
| **Reference height** | Until 100 cm |
| **Cooling type** | Static |
| **Defrost** | Automatic |
| **Hinge type** | Sliding |
| **Kitchen panel** | Not supplied |
| **Hinge position** | Right |
| **Reversible door** | Yes |
| **EAN code** | 8017709346379 |

## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetics** | Universal | **Side colour** | White |
| **Colour** | White | **Logo** | Silk screen |
| **Design** | Flat | **Door shelves profile colour** | White |
| **Material** | Metal sheet | **Colour of glass shelf profile** | White |
| **Handle type** | Fixed | **Display** | LCD |
| **Logo colour** | Black | **Display position** | Interior |
| **Side material** | Steel | | |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **Number of compartments** | 1 | **Crisper Cover** | Yes |
| **Compartment types** | Fruit and vegetable compartment | **Type of crisper/vegetable drawers cover** | Glass |
| **No. of adjustable shelves** | 2 | **No. of lights** | 1 |
| **Number of fruit and vegetables drawers** | 1 | **Internal light in fridge** | Yes |
| **Shelves material** | Glass | **Type of internal light (fridge)** | LED |
| **Type of crisper/vegetable drawers cover** | Standard | | |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **No. of door shelves with transparent cover** | 1 | **No. of bottle shelves** | 1 |
| **Number of adjustable door shelves** | 2 | | |

## Other Refrigerator features

| | |
|---|---|
| **Accessories** | Egg tray |

## Freezer compartment features

| | |
|---|---|
| **Internal freezer compartment** | Yes |

## Other technical features

| | |
|---|---|
| **Type of temperature control** | Electronic |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **Type of compressor** | Standard |
| **Refrigerant Quantity (g)** | 28 g |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label




| | | | |
|---|---|---|---|
| **Annual energy consumption** | 114 kWh/year | **Noise level** | 36 dB(A) re 1 pW |
| **Energy efficiency class** | D | **Thaw time** | 9,5 h |
| **Airborne acoustical noise emission class** | C | **4 star - Freezing capacity** | 2,6 kg/24h |
| **Total volume** | 124 l | **Climatic class** | SN, N, ST |
| **Sum of the volumes of the frozen compartment(s)** | 14 l | **EEI** | 80 % |
| **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 110 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Nominal power** | 100 W | **Frequency (Hz)** | 50 Hz |
| **Current** | 0,6 A | **Power supply cable length** | 240 cm |
| **Voltage (V)** | 230-240 V | **Plug** | (G) UK e Singapore |

## Logistic Information

| | |
|---|---|
| **Width (mm)** | 548 mm |
| **Width of the built-in niche** | 560 mm |
| **Depth without handle** | 549 mm |
| **Depth of the built-in niche** | 550 mm |
| **Product Height with feet** | 873 mm |
| **Height of the built-in niche** | 880 mm |
| **Product width with maximum doors opening** | 548 mm |
| **Spacer depth** | 38 mm |



## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class D



LCD display: to optimize performance and simplify the use of the appliance.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche