


## UKS4C092D



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	88
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709346379



## Aesthetics



Aesthetic	Universale	Side colour	White
Colour	White	Logo	Silk screen
Design	Flat	Door shelves profile color	White
Material	Metal sheet	Color of glass shelf profile	White
Handle type	Fixed	Display	LCD
Logo colour	Black	Display position	Interno (cella frigo)
Side material	Steel		

## Refrigerator compartment features



Number of compartments	1	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights refrigerator compartment	1
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

## Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2		

## Other Refrigerator features

Accessories	Egg tray
-------------	----------

## Freezer compartment features

Internal freezer compartment	Yes
------------------------------	-----

## Other technical features

Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	28 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019

			
Annual energy consumption	114 kWh/a	Airborne acoustical noise emissions	36 dB(A) re 1 pW
Energy efficiency class	D	Temperature Rise Time	9,5 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	2,6 kg/24h
Total net volume	124 l	Climate class	SN, N, ST
Sum of the volumes of the frozen compartment(s)	14 l	EEL	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	110 l		


## Electrical Connection

Electrical connection rating	100 W	Frequency (Hz)	50 Hz
Current	0,6 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore

## Logistic Information

**Width** 548 mm  
**Width of the built-in niche** 560 mm  
**Depth without handle** 549 mm  
**Depth of the built-in niche** 550 mm

**Height** 873 mm  
**Height of the built-in niche** 880 mm  
**Product width with maximum doors opening** 548 mm  
**Spacer depth** 38 mm



---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Energy efficiency class D   |
|  | LCD display: to optimize performance and simplify the use of the appliance.   |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche  |   |   |