

# UKS4C092D





**Product Family** Refrigerator Installation Built-in One Door Category Built-in niche 88 Reference width Until 60 Reference height Until 100 Cooling type Static **Defrost** Automatic Hinge type Sliding Kitchen panel Not supplied Hinge position Right

EAN code 8017709346379

Yes



### **Aesthetics**

Reversible door



AestheticUniversaleSide colourWhiteColourWhiteLogoSilk screenDesignFlatDoor shelves profileWhite

Material Metal sheet Co

Handle type Fixed Color of glass shelf White profile

Logo colour Black profile
Side material Steel Display LCD

Display porition Interno (cella frigo)

## Refrigerator compartment features



drawers cover

Number of 1 Crisper Cover Yes compartments Type of Glass

Compartment types Fruit and vegetable crisper/vegetable

compartment drawers cover

No. of adjustable 2 No. of lights refrigerator 1

shelves compartment

Number of fruit and1Internal light in fridgeYesvegetables drawersType of internal lightLED

Type of adjustable Glass (fridge)

shelves
Type of Standard
crisper/vegetable



## **Refrigerator Inner Door**

No. of door shelves with 1

transparent cover

Number of adjustable 2

door shelves

No. of bottle shelves

## Other Refrigerator features

Accessories Egg tray

## Freezer compartment features

Internal freezer compartment

Yes

### Other technical features

Type of temperature control Electronic

No. of compressors Refrigerant gas type

Type of compressor Standard Refrigerant Quantity (gr) 28 g

Foam agent Cyclopentane

# Performance / Energy Label - Reg. 2019

D A

Annual energy 114 kWh/a

**Energy efficiency class** 

Airborne acoustical noise emission class

Total net volume 124 I Sum of the volumes of 14 I

the frozen compartment(s)

consumption

Sum of the volumes of 110 I the chill compartment(s)

and the unfrozen compartment(s)

Airborne acoustical 36 dB(A) re 1 pW noise emissions

Temperature Rise Time 9,5 h 4 star - Freezing 2,6 kg/24h

capacity

R600a

Climate class SN, N, ST EEI 80 %

## **Electrical Connection**

230-240 V Plug Voltage (V) (G) UK e Singapore Frequency (Hz) 50 Hz



Electrical connection rating


100 W

Power supply cable length

240 cm

Current

0,6 A





# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class D



LCD display: to optimize performance and simplify the use of the appliance.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche



## Benefit (TT)

#### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

#### Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

### Internal display

Internal display for targeted temperature control and a clean, minimalist design