

# UKU8C082DE



Product Family	Refrigerator
Installation	Built-in
Category	Under counter
Built-in niche	82 - 87
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Manual
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709337018



## Aesthetics



Aesthetics	Universal	Side material	Steel
Colour	White	Side colour	White
Design	Flat	Logo	Silk screen
Material	Metal sheet	Display	LED
Handle type	Fixed	Display position	Interior
Logo colour	Black		

## Refrigerator compartment features



Number of compartments	1	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights	1
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

## Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Adjustable door shelves with wire support	Yes	Bottle shelves with wire support	Yes

## Other Refrigerator features

Accessories	Egg tray
-------------	----------


## Freezer compartment features

Internal freezer compartment	Yes
------------------------------	-----

## Other technical features

Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Refrigerant Quantity (g)	32 g
Max weight door panel (fridge)	31 kg
Foam agent	Cyclopentane

## Performance / Energy Label

			
Annual energy consumption	148 kWh/year	Noise level	38 dB(A) re 1 pW
Energy efficiency class	E	Thaw time	8,20 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	3,1 kg/24h
Total volume	110 l	Climatic class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	16 l	EI	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	94 l		


## Electrical Connection

Nominal power	110 W	Frequency (Hz)	50 Hz
Current	0,9 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore

## Logistic Information

**Width (mm)** 596 mm  
**Width of the built-in niche** 600 mm  
**Depth without handle** 547 mm  
**Depth of the built-in niche** 550 mm





**Product Height with feet** 819 mm  
**Height of the built-in niche** 820 mm  
**Product width with maximum doors opening** 777 mm



---

## Symbols glossary

---

	Energy efficiency class E		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Built-in niche