

# UKU8C082DE



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	Under counter
<b>Built-in niche</b>	82 - 87
<b>Reference width</b>	Until 60 cm
<b>Reference height</b>	Until 100 cm
<b>Cooling type</b>	Static
<b>Defrost</b>	Manual
<b>Hinge type</b>	Door on door
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709337018



## Aesthetics



<b>Aesthetics</b>	Universal	<b>Side material</b>	Steel
<b>Colour</b>	White	<b>Side colour</b>	White
<b>Design</b>	Flat	<b>Logo</b>	Silk screen
<b>Material</b>	Metal sheet	<b>Display</b>	LED
<b>Handle type</b>	Fixed	<b>Display position</b>	Interior
<b>Logo colour</b>	Black		

## Refrigerator compartment features



<b>Number of compartments</b>	1	<b>Crisper Cover</b>	Yes
<b>Compartment types</b>	Fruit and vegetable compartment	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>No. of adjustable shelves</b>	2	<b>No. of lights</b>	1
<b>Number of fruit and vegetables drawers</b>	1	<b>Internal light in fridge</b>	Yes
<b>Shelves material</b>	Glass	<b>Type of internal light (fridge)</b>	LED
<b>Type of crisper/vegetable drawers cover</b>	Standard		

## Refrigerator Inner Door

<b>No. of bottle shelves</b>	1
------------------------------	---

No. of door shelves with transparent cover	1	Bottle shelves with wire support	Yes
Adjustable door shelves with wire support	Yes		

## Other Refrigerator features

Accessories	Egg tray
-------------	----------


## Freezer compartment features

Internal freezer compartment	Yes
------------------------------	-----

## Other technical features

Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Refrigerant Quantity (g)	32 g
Max weight door panel (fridge)	31 kg
Foam agent	Cyclopentane

## Performance / Energy Label

			
Annual energy consumption	148 kWh/year	Noise level	38 dB(A) re 1 pW
Energy efficiency class	E	Thaw time	8.20 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	3.1 kg/24h
Total volume	110 l	Climatic class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	16 l	EEl	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	94 l		


## Electrical Connection

Nominal power	110 W	Frequency (Hz)	50 Hz
Current	0.9 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore

## Logistic Information

Width (mm) 596 mm  
Width of the built-in niche 600 mm  
Depth without handle 547 mm  
Depth of the built-in niche 550 mm





Product Height with feet 819 mm  
Height of the built-in niche 820 mm  
Product width with maximum doors opening 777 mm



---

## Symbols glossary

---

	Energy efficiency class E		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Built-in niche