

UKU8F082DF1



| | |
|-----------------|---------------|
| Product Family | Freezers |
| Installation | Built-in |
| Built-In Niche | 82-87 |
| Category | Under counter |
| Cooling type | Static |
| Hinge type | Door on door |
| Hinge position | Right |
| Reversible door | Yes |



Aesthetics

| | | | |
|-----------|------------|-----------------------|-------------|
| Aesthetic | Universale | Side material | Metal |
| Colour | White | Side colour | White |
| Design | Flat | Logo | Silk screen |
| Material | Steel | Drawers profile color | Silver |

Freezer compartment features

| | |
|-------------------|---|
| Number of drawers | 3 |
|-------------------|---|

Other technical features

| | | | |
|---------------------------------|--------------------|---------------------------------------|--------------|
| Freezer compartment accessories | Ice cube tray | Refrigerant gas type | R600a |
| Fast freezing button | Yes | Type of compressor | Standard |
| Power on lamp | Yes | Refrigerant Quantity (gr) | 45 g |
| Temperature alarm lamp | Yes | Foam agent | Cyclopentane |
| Type of temperature control | Electro-mechanical | Max weight door panel (freezer) | 41 kg |
| No. of compressors | 1 | Metal panel on the back of the fridge | PP+Al foil |

Performance / Energy Label - Reg. 2019



| | | | |
|---------------------------|-----------|-----------------------|---------|
| Annual energy consumption | 220 kWh/a | Temperature Rise Time | 13.50 h |
|---------------------------|-----------|-----------------------|---------|

Symbols glossary



4 stars freezing compartment for better food preservation.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class F



Built-in niche

Benefit (TT)

Door-on-door Hinge

Fixed hinges, otherwise known as door-on-door hinges, directly connects the cabinet door to the appliance door

The cabinet door will not be attached to the rest of the cabinetry. Instead, it will be completely attached to the appliance door. Therefore, the appliance door will be bearing the weight of the cabinet door. This type of fitting is often sturdier than a sliding hinge fitting, and can give you a sleeker finish.

Reversible Door

Reversible door ensures flexible installation and space optimisation

Climatic Class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

R600a Refrigerant Gas

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption