UM3416-2

Sink material	Stainless steel
Sink type	Side by side bowls
No. of bowls	1 + 1/2
EAN code	8017709325664



Aesthetics

Aesthetics	Universal	**Building in type**	Undermount
Colour	Stainless steel	**Logo**	Embossed
Finishing	Brushed	**Tap hole / precut tap hole**	No Taphole
Series	Alba		


	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

Technical Features

Frame thickness	1 mm	**Tap hole diameter**	35 mm
Frame depth (mm)	445	**Dividing wall width**	30 mm
Dimensions of the product WxDxH (mm)	180x580x445 mm	**No. of clips**	8
		Type of clips	Undermount clip
Cutout dimension undermount (mm)	408*543 mm		
Base unit size	60 cm		

Accessories Included

Accessories for installation	Strainer, Siphon with dishwasher outlet connection, Fixing clips



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340*400 mm



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



RND2V

Rondò waste kit 2 bowls with 1 standard overflow

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from13 to 24,5



Sink depth - depending on the model, the depth can be from13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.