

# UM3416-2

<b>Sink material</b>	Stainless steel
<b>Sink type</b>	Side by side bowls
<b>No. of bowls</b>	1 + 1/2
<b>EAN code</b>	8017709325664



## Aesthetics



<b>Aesthetics</b>	Universal	<b>Building in type</b>	Undermount
<b>Colour</b>	Stainless steel	<b>Logo</b>	Embossed
<b>Finishing</b>	Brushed	<b>Tap hole / precut tap hole</b>	No Taphole
<b>Series</b>	Alba		

	<b>Bowl type</b>	<b>Bowl thickness (mm)</b>	<b>Bowl dimensions, WxDxH (mm)</b>	<b>Bowl depth (mm)</b>	<b>Radius corner right bowl (mm)</b>	<b>Overflow LH bowl</b>	<b>Strainer position</b>	<b>Strainer dimension</b>
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

## Technical Features




<b>Frame thickness</b>	1 mm	<b>Tap hole diameter</b>	35 mm
<b>Frame depth (mm)</b>	445	<b>Dividing wall width</b>	30 mm
<b>Dimensions of the product WxDxH (mm)</b>	180x580x445 mm	<b>No. of clips</b>	8
<b>Cutout dimension undermount (mm)</b>	408*543 mm	<b>Type of clips</b>	Undermount clip
<b>Base unit size</b>		60 cm	

## Accessories Included

### Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips



## Compatible Accessories

**3713**

Siphon double bowls sinks (dishwasher connection included)

**KITFD050**

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet

**KITFD100**

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet

**DB34**

Cestello in filo inox per abbinamento alle vasche di dimensione 340\*400 mm

**KITFD075**

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet

**RND2V**

Rondò waste kit 2 bowls with 1 standard overflow

## Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.