

# UM3416-2

**Sink material** Stainless steel  
**Sink type** Side by side bowls  
**No. of bowls** 1 + 1/2  
**EAN code** 8017709325664



## Aesthetics



**Aesthetics** Universal  
**Colour** Stainless steel  
**Finishing** Brushed  
**Series** Alba  
**Building in type** Undermount  
**Logo** Embossed  
**Tap hole / precut tap hole** No Taphole

	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

## Technical Features




**Frame thickness** 1 mm  
**Frame depth (mm)** 445  
**Dimensions of the product WxDxH (mm)** 180x580x445 mm  
**Cutout dimension undermount (mm)** 408\*543 mm  
**Base unit size** 60 cm  
**Tap hole diameter** 35 mm  
**Dividing wall width** 30 mm  
**No. of clips** 8  
**Type of clips** Undermount clip

## Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

Cestello in filo inox per abbinamento alle vasche di dimensione 340\*400 mm



**KITFD050**

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet







**RND2V**

Rondò waste kit 2 bowls with 1 standard overflow

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Cupboard width required for sink installation                         |  | Sink depth - depending on the model, the depth can be from 13 to 24,5   |
|  | Sink depth - depending on the model, the depth can be from 13 to 24,5 |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |