

UM3416-2

Sink material Stainless steel

Type Side by side undermount bowls

No. of bowls 1 + 1/2

EAN code 8017709325664



Aesthetics



Universale Building in type Undermount **Aesthetic** Series Alba Logo **Embossed** Colour Stainless steel Tap hole / precut tap No Taphole

hole **Finishing** Brushed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness Tap hole diameter 35 mm 1 mm Frame depth (mm) 445 Dividing wall width 30 mm

Dimensions of the

180x580x445 mm

No. of clips 8

product (mm)

Type of clips

Undermount clip

Cutout dimension undermount (mm)

408*543 mm

Base unit size 60 cm


SMEG SPA 22/12/2024



Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 22/12/2024



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



3713

Siphon double bowls sinks (dishwasher connection included)



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

SMEG SPA 22/12/2024



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Sink depth - depending on the model, the depth can be from 13 to 24.5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

SMEG SPA 22/12/2024