

# UM3416-2

Sink material

Stainless steel

Type

Side by side undermount bowls

No. of bowls

1 + 1/2

EAN code

8017709325664



## Aesthetics



Aesthetic

Universale

Building in type

Undermount

Series

Alba

Logo

Embossed

Colour

Stainless steel

Tap hole / precut tap hole

No Taphole

Finishing

Brushed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

## Technical Features



Frame thickness

1 mm

Tap hole diameter

35 mm

Frame depth (mm)

445

Dividing wall width

30 mm

Dimensions of the product (mm)

180x580x445 mm

No. of clips

8

Cutout dimension undermount (mm)

408\*543 mm

Type of clips

Undermount clip


Base unit size

60 cm

## Accessories included

### Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow

---

## Symbols glossary

---



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

---

## Benefit (TT)

---

### Two bowls

Two bowls for greater versatility and dual functionality