# UM3416-2

| | |
|---|---|
| **Sink material** | Stainless steel |
| **Type** | Side by side undermount bowls |
| **No. of bowls** | 1 + 1/2 |
| **EAN code** | 8017709325664 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Building in type** | Undermount |
| **Colour** | Stainless Steel | **Logo** | Embossed |
| **Finishing** | Brushed | **Tap hole / precut tap hole** | No Taphole |
| **Series** | Alba | | |


| | Bowl type RH | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow LH bowl | Strainer position | Strainer dimension |
|---|---|---|---|---|---|---|---|---|
| RH Bowl | Half bowl | 0.7 | 165 x 300 x 130 | 130 | 85 | | Centre of bowl | 3.5" |
| LH Bowl | Traditional | 0.6 | 340 x 400 x 180 | 180 | 75 | Yes, traditional | Side bowl | 3.5" |

## Technical Features

| | | | |
|---|---|---|---|
| **Frame thickness** | 1 mm | **Tap hole diameter** | 35 mm |
| **Frame depth (mm)** | 445 | **Dividing wall width** | 30 mm |
| **Dimensions of the product (mm)** | 180x580x445 mm | **No. of clips** | 8 |
| **Cutout dimension undermount (mm)** | 408*543 mm | **Type of clips** | Undermount clip |
| **Base unit size** | 60 cm | | |

## Accessories included

| | |
|---|---|
| **Accessories for installation** | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips |



## Compatible Accessories



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow

## Symbols glossary




Cupboard width required for sink installation.




Sink depth - depending on the model, the depth can be from13 to 24,5.




Sink depth - depending on the model, the depth can be from13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.