

UM40

Sink materialStainless steelTypeMonoblock bowl

No. of bowls

EAN code 8017709140199



Aesthetics



AestheticUniversaleBuilding in typeUndermountSeriesAlbaLogoEmbossed

ColourStainless steelAlternative coloursStainless steel PVD Black,FinishingBrushedavailableStainless steel PVD Copper,
Stainless steel PVD Brass

Bowl dimensions, Bowl depth Radius Strainer Strainer Bowl Overflow WxDxH (mm) corner bowl position dimension type (mm) Minimum Yes, Wall 400 x 340 x 180 Bowl 180 75 3.5" radius traditional position

Technical Features



Dimensions of the 180x420x360 mm product (mm)

Tap hole diameter 35 mm
No. of clips 4

Cutout dimension 345.3*405.5 mm undermount (mm)

Type of clips Undermount clip


Base unit size 45 cm

Accessories Included

Accessories for installation

Strainer, Fixing clips







Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3712

Siphon single bowl sinks (dishwasher connection included)



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.