

UM4040

Sink material

Type

No. of bowls

EAN code

Stainless steel

Side by side undermount bowls

2

8017709176617



Aesthetics



Aesthetic

Series

Colour

Universale

Alba

Stainless steel

Finishing

Building in type

Logo

Brushed

Undermount

Embossed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness

Dimensions of the product (mm)

Cutout dimension undermount (mm)

Base unit size

1 mm

180x760x450 mm

720x410 mm

80 cm

Tap hole diameter

Dividing wall width

No. of clips

Type of clips

35 mm

30 mm


12

Undermount clip

Accessories Included

## Accessories for installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips



---

## Not included accessories

---



### RND1V

Rondò waste kit 1 bowl with standard overflow



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### 3713

Siphon double bowls sinks (dishwasher connection included)



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Symbols glossary (TT)

---



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.