

UM4040

Sink material Stainless steel

Type Side by side undermount bowls

No. of bowls 2

8017709176617 EAN code



Aesthetics



Universale Alba **Aesthetic Series**

Colour Stainless steel Building in type Undermount **Finishing** Brushed Logo **Embossed**

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness 1 mm

Dimensions of the product (mm)

180x760x450 mm

Tap hole diameter Dividing wall width

30 mm No. of clips 12

Cutout dimension 720x410 mm undermount (mm)

Type of clips

Undermount clip

35 mm

Base unit size 80 cm


Accessories Included

SMEG SPA 2025/12/13



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 2025/12/13



Compatible Accessories





Siphon double bowls sinks (dishwasher connection included)



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow

SMEG SPA 2025/12/13



Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

SMEG SPA 2025/12/13