

UM4040

Sink material Stainless steel

Type Side by side undermount bowls

No. of bowls 2

EAN code 8017709176617



Aesthetics



AestheticUniversaleFinishingBrushedSeriesAlbaBuilding in typeUndermountColourStainless steelLogoEmbossed

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness

Dimensions of the

product (mm)

180x760x450 mm

Tap hole diameter
Dividing wall width

35 mm 30 mm

12

Cutout dimension undermount (mm)

720x410 mm

1 mm

No. of clips Type of clips

Undermount clip


Base unit size 80 cm

Accessories Included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



DB34

3713

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD100

waste outlet

KITFD050

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Waste disposal 0,5 HP, Motor: 1/2

horsepower, Fits all sinks with 3 1/2"



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Siphon double bowls sinks (dishwasher connection included)





Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



Benefit (TT)

Two bowls

Two bowls for greater versatility and dual functionality