

UM4545

| | |
|---------------|--------------------|
| Sink material | Stainless steel |
| Sink type | Side by side bowls |
| No. of bowls | 2 |
| EAN code | 8017709157357 |



Aesthetics



| | | | |
|-------------------|-----------------|-----------------------------------|------------|
| Aesthetics | Universal | Building in type | Undermount |
| Colour | Stainless steel | Logo | Embossed |
| Finishing | Brushed | Tap hole / precut tap hole | No Taphole |
| Series | Alba | | |

| | Bowl type | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow | Strainer position | Strainer dimension |
|---------|-------------|---------------------|-----------------------------|-----------------|-------------------------------|------------------|-------------------|--------------------|
| RH Bowl | Traditional | 0.6 | 450 x 400 x 180 | 180 | 80 | Yes, traditional | Wall position | 3.5" |
| LH Bowl | Traditional | 0.6 | 450 x 400 x 180 | 180 | 80 | Yes, traditional | Wall position | 3.5" |

Technical Features




| | | | |
|---------------------------------------------|----------------|----------------------------|-----------------|
| Frame thickness | 1 mm | Tap hole diameter | 35 mm |
| Dimensions of the product WxDxH (mm) | 180x890x510 mm | Dividing wall width | 30 mm |
| Cutout dimension undermount (mm) | 459*839 mm | Gasket type | Sealing paste |
| Cutout radius | 5 mm | No. of clips | 8 |
| Base unit size | 90 cm | Type of clips | Undermount clip |

Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340*400 mm



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.