

UM4545

Sink materialStainless steel

TypeSide by side undermount bowls

No. of bowls2

EAN code8017709157357



Aesthetics



AestheticUniversale

SeriesAlba

ColourStainless steel

FinishingBrushed

Building in typeUndermount

LogoEmbossed

Tap hole / precut tap holeNo Taphole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	450 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"
LH Bowl	Traditional	0.6	450 x 400 x 180	180	80	Yes, traditional	Wall position	3.5"

Technical Features



Frame thickness1 mm

Dimensions of the product (mm)180x890x510 mm

Cutout dimension undermount (mm)459*839 mm

Undermount cutout radius5 mm

Base unit size90 cm

Tap hole diameter35 mm

Dividing wall width30 mm

Gasket typeSealing paste


No. of clips8

Type of clipsUndermount clip

Accessories Included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips



Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.