

# UW5757D

Family	Professional dishwasher
Subfamily	Utensil dishwasher
Basket dimensions	570x570 mm
Panel	Utensil Dishwasher
Rinse pump H.T.R. system	Yes
Usable load height	650 mm
Power connection	400 V 3N~ / 9,1 kW / 50 Hz
Height open door	2000 mm
Depth with open door	1110 mm
Maximum height no-basket washing	650 mm
Product dimensions WxDxH	685x750x1725 mm



## Target

Solutions	Hotels; Restaurants/Pubs; Bakery/Pastry making; Frozen bakery industry; Food retail; Other food industry; Catering and Institutions; QSR
-----------	---

## Aesthetics

Series	Utensil washer	Led color	Red
Control panel	electronic		

## Functions



Functionality	Euronorm trays washing; GN 1/1 trays washing; HTR; Door clearance 640mm
---------------	---

## Programs

Utensil washers programs	120" (92" at 60°C - rinse 18" at 85°C); 240" (212" at 60°C - 10" dripping pause - rinse 18" at 85°C); Endless at 60°C - 10" dripping pause - rinse 18" at 85°C
Maximum basket/hour	30

## Interface

Display	4 digit	On/Off button	Yes
Number of buttons	3		

## Construction

Tank	With printed base	Rack guides	Welded
Tank material	Stainless steel AISI 304	Tank capacity	36 l
Back panel	Galvanized	Boiler capacity	12 l
Door	Double wall	Protection class	IPX4
Tank filter	Stainless steel	Adjustable feet	Yes
Washing spray arm	2 in stainless steel	Net weight	135,000 kg
Rinse spray arm	2 in stainless steel	Drain max. height	230 mm

## Technical Features

Tank heating element	4500 W	Water cycle consumption	5 l
Boiler heating element	7500 W	Warm water connection	8°C
Default connection	9100 W	Max temperature inlet water	60°C
UW washing pump	1600W	Max water hardness	12°F - 7°dH

## Electrical Connection

Plug	Not present	Optional electrical connection	230 V 3N~ / 9,1 kW / 50 Hz
------	-------------	--------------------------------	----------------------------

## Equipments


Drain pump	Yes	Break tank	Yes
Peristaltic detergent doser	Manual	Trays washing option GN1/1 530x325mm	Yes
Peristaltic rinse-aid doser	Manual	Water supply pipe diameter	DN15 - ½"
Thermostop system	Yes	Drain supply pipe diameter	DN20-G 3/4"
Soft Start system	Yes	Detergent (red) hose lenght	2,2m
Detergent load	1,5 l/h	Rinse aid (blue) hose lenght	2,2m
Rinse load	0,4 l/h		

## Accessories Included

Cutlery basket	1x WH00S02	Drain hose	Yes - 2m
----------------	------------	------------	----------

Water supply hose

Yes - 2,5m



## Not included accessories

---

**WB5757T01**


Stainless steel basket for 5 trays,  
570x570x255 mm

**WB5757G01**

Universal basket with flat bottom,  
570x570x140 mm

**WH00B02**

Block for sac à poche

**WH00S02**

Basket for utensils, 150x150x250 mm

**WB5757T02**

Stainless steel basket for 8 trays,  
570x570x255 mm

## Symbols glossary (TT)

---



SUITABLE FOR EURONORM TRAY



SUITABLE FOR GASTRONORM  
TRAY



HTR RINSING SYSTEM



MAX.USABLE HEIGHT 640mm