

# VFU40SFR

Sink materialStainless steelTypeMonoblock bowl

No. of bowls

EAN code 8017709304645



### **Aesthetics**







Aesthetic Universale
Colour Stainless steel
Finishina Brushed

Finishing Brushed
Series Mira

sale Building in type

Logo Tap hole / precut tap hole

Flush fitted, Flat,

Undermount Embossed No Taphole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	400 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

## **Technical Features**



Dimensions of the product (mm)

200x440x440 mm

Height from kitchen top 1 mm Base unit size 60 cm

Cutout dimension topmount (mm)

425\*425 mm 404\*404 mm

Type of clips

No. of clips

Standard + undermount clip

Cutout dimension undermount (mm)

Undermount cutout 17 mm


radius

## Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Silicone





# **Compatible Accessories**

#### 3712



Siphon single bowl sinks (dishwasher connection included)

### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### **DB34**



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

### **KITDSQ**



Soap dispenser chrome finishing with square knob 40x40 mm

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### 3713



Siphon double bowls sinks (dishwasher connection included)

#### COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### **KITDS**



Soap dispenser chrome finishing with round knob

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

## RND1V



Rondò waste kit 1 bowl with standard overflow



# Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Flat: Installation of product with flat edge.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



# Benefit (TT)

### One bowl

A single bowl for greater adaptability, capacity and space optimisation