

VFU43SFR

Sink material Stainless steel
Type Monoblock bowl
No. of bowls 1
EAN code 8017709304584



Aesthetics



Aesthetic Universale
Colour Stainless steel
Finishing Brushed
Series Omni

Building in type Standard, Undermount
Logo Not present
Tap hole / precut tap hole No Taphole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
Bowl	Round	diametro 375	200	Yes, traditional	Wall position	3.5"

Technical Features




Dimensions of the product (mm) 200x430x430 mm
Cutout dimension topmount (mm) 410 mm
Cutout dimension undermount (mm) 374 mm
Height from kitchen top 6 mm
Base unit size 45 cm

Tap hole diameter 35 mm
Gasket type Sealing paste
No. of clips 3
Type of clips Standard + undermount clip

Accessories included

Accessories for installation

Strainer, Fixing clips,
Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



KITDS

Soap dispenser chrome finishing with round knob



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation