

# VFU43SFR

**Sink material** Stainless steel  
**Type** Monoblock bowl  
**No. of bowls** 1  
**EAN code** 8017709304584



## Aesthetics



<b>Aesthetic Series</b>	Universale	<b>Building in type</b>	Standard, Undermount
<b>Colour</b>	Omni	<b>Logo</b>	Not present
<b>Finishing</b>	Stainless steel	<b>Tap hole / precut tap hole</b>	No Taphole
	Brushed		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
Bowl	Round	diametro 375	200	Yes, traditional	Wall position	3.5"

## Technical Features




<b>Dimensions of the product (mm)</b>	200x430x430 mm	<b>Tap hole diameter</b>	35 mm
<b>Cutout dimension topmount (mm)</b>	410 mm	<b>Gasket type</b>	Sealing paste
<b>Cutout dimension undermount (mm)</b>	374 mm	<b>No. of clips</b>	3
<b>Height from kitchen top</b>	6 mm	<b>Type of clips</b>	Standard + undermount clip
<b>Base unit size</b>	45 cm		

## Accessories Included

Accessories for  
installation

Strainer, Fixing clips,  
Gasket



---

## Not included accessories

---



### RND1V

Rondò waste kit 1 bowl with standard overflow



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### 3712

Siphon single bowl sinks (dishwasher connection included)



### 3713

Siphon double bowls sinks (dishwasher connection included)



### KITDS

Soap dispenser chrome finishing with round knob







### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Symbols glossary (TT)

---

- |  |  |   |   |
|--|--|---|---|
|  | Cupboard width required for sink installation  |  | Sink depth - depending on the model, the depth can be from 13 to 24,5   |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |