# VFU43SFR

| | |
|---|---|
| **Sink material** | Stainless steel |
| **Type** | Monoblock bowl |
| **No. of bowls** | 1 |
| **EAN code** | 8017709304584 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Building in type** | Standard, Undermount |
| **Colour** | Stainless Steel | **Logo** | Not present |
| **Finishing** | Brushed | **Tap hole / precut tap hole** | No Taphole |
| **Series** | Omni | | |


| | Bowl type | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Overflow | Strainer position | Strainer dimension |
|---|---|---|---|---|---|---|
| Bowl | Round | diametro 375 | 200 | Yes, traditional | Wall position | 3.5" |

## Technical Features

| | | | |
|---|---|---|---|
| **Dimensions of the product (mm)** | 200x430x430 mm | **Tap hole diameter** | 35 mm |
| **Cutout dimension topmount (mm)** | 410 mm | **Gasket type** | Sealing paste |
| **Cutout dimension undermount (mm)** | 374 mm | **No. of clips** | 3 |
| **Height from kitchen top** | 6 mm | **Type of clips** | Standard + undermount clip |
| **Base unit size** | 45 cm | | |

## Accessories included

| | |
|---|---|
| **Accessories for installation** | Strainer, Fixing clips, Gasket |



## Compatible Accessories



**3712**

Siphon single bowl sinks (dishwasher connection included)



**3713**

Siphon double bowls sinks (dishwasher connection included)



**KITDS**

Soap dispenser chrome finishing with round knob



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND1V**

Rondò waste kit 1 bowl with standard overflow

## Symbols glossary




Cupboard width required for sink installation.




Sink depth - depending on the model, the depth can be from13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

# Benefit (TT)

**One bowl**

A single bowl for greater adaptability, capacity and space optimisation