

# VFU43SFR

Sink material Stainless steel Monoblock bowl Type

No. of bowls

EAN code 8017709304584



### **Aesthetics**





Universale **Aesthetic Building in type** Standard, Undermount

Colour Stainless steel Logo Not present **Finishing** Brushed Tap hole / precut tap No Taphole

hole Series Omni

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Overflow	Strainer position	Strainer dimension
Bowl	Round	diametro 375	200	Yes, traditional	Wall position	3.5"

## **Technical Features**



Dimensions of the

product (mm)

topmount (mm)

200x430x430 mm

Tap hole diameter 35 mm Gasket type Sealing paste

**Cutout dimension** 410 mm No. of clips

**Cutout dimension** 

Type of clips

Standard + undermount clip

374 mm

undermount (mm)

6 mm


Height from kitchen top Base unit size 45 cm

### Accessories included



Accessories for installation

Strainer, Fixing clips, Gasket





## **Compatible Accessories**

#### 3712



Siphon single bowl sinks (dishwasher connection included)

### KITDS



Soap dispenser chrome finishing with round knob

#### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### RND1V



Rondò waste kit 1 bowl with standard overflow

#### 3713



Siphon double bowls sinks (dishwasher connection included)

#### KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



## Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



## Benefit (TT)

### One bowl

A single bowl for greater adaptability, capacity and space optimisation