

# VFU71SFR

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709304676



## Aesthetics



Aesthetic	Universale	Building in type	Flush fitted, Flat,
Colour	Stainless steel	Logo	Undermount
Finishing	Brushed	Tap hole / precut tap hole	Embossed
Series	Mira		No Taphole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	710 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

## Technical Features




Dimensions of the product (mm)	200x750x440 mm	Height from kitchen top	1 mm
Cutout dimension topmount (mm)	735*425 mm	Base unit size	80 cm
Cutout dimension undermount (mm)	712*402 mm	No. of clips	8
Undermount cutout radius	16 mm	Type of clips	Standard + undermount clip

## Accessories Included

## Accessories for installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips,  
Silicone



## Compatible Accessories



**3712**

Siphon single bowl sinks (dishwasher connection included)



**3713**

Siphon double bowls sinks (dishwasher connection included)



**CB25MN**

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



**COL19**

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



**COL19H**

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



**COL36**

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITDS**

Soap dispenser chrome finishing with round knob



**KITDSQ**

Soap dispenser chrome finishing with square knob 40x40 mm



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND1V**

Rondò waste kit 1 bowl with standard overflow

---

## Symbols glossary

---



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Flat: Installation of product with flat edge.



Flush-fitted installation: Models of sinks/hobs which are integrated flush with the tabletop of a kitchen unit.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.

---

## Benefit (TT)

---

### One bowl

A single bowl for greater adaptability, capacity and space optimisation